Contractor Assessment Request Details

| Assessment Type | New |
|----------------------------|--------------------------------|
| Vendor | |
| Contractor | Joemillars Aquatek india.p.ltd |
| Contractor Location | GURGAON |
| Contractor Email ID | Joemillars Aquatek india.p.ltd |
| Plant Code | 1116 |

Preliminary Details For Evaluation

| Preliminary Details For | 2 valuation |
|---|--|
| Contractor Type | Product Supplier |
| Name of Company / Contractor | JOEMILLAR AQUATEK INDIA PVT LTD |
| Contact Person Name | SURESH KUMAR PASSI |
| Contact Number | 9711918519 |
| Work Description | ZINCALUME PRE ENGINEERED STEEL BOLTED TANK |
| Previous ETL Contracts | 1400030084, 1400030954, 1300266964 1400035173 |
| Existing Clientele | HINDUSTAN UNILEVER LTD, ITC LIMITED, TATA CHEMICALS LTD, ISGEC ENGG, UB SPIRIT LTD |
| Organizational Chart | 1781_OrganizationalChartdocx |
| Employees Head Count | 8 |
| Employees Deployed Count at ETL | 2 |
| Supervisors Count | 1 |
| Is Sub Contractor Nominated ? | Yes |
| Sub Contractor | JOEMILLAR AQUATEK INDIA PVT LTD |
| Contractors Financial Health & Capability (Turnover in INR) | 2 crores |
| C A Certificate | 1781_CACertificatepdf |
| Does your last two years balance sheet shows profit? | Yes |
| Balance Sheet | 1781_BalanceSheetpdf |
| Do you have at least 3 years of experience for carrying out similar activity? | Yes |
| Experience Certificate | 1781_ExperienceCertificatepdf |

Section 1 - Mandatory Requirement

| Sr.No | Requirement Text | Options | License / Registration No. / Policy No. | Attachment | Valid Till | Score |
|-------|--|----------|---|--------------------|------------|-------|
| 1 | Workmen compensation Policy / Group Insurance | Complied | D106908823 | 1781_16section1pdf | 01.06.2024 | 5 |

| 2 | Are workers working hours complied with the current applicable law in the country? | Complied | IETTER DTD. 26.02.24 | 1781_17section1pdf | 01.02.2025 | 5 |
|----|--|----------|----------------------|--------------------|------------|---|
| 3 | Are wages paid on the basis of Minimum Wages Act? | Complied | IETTER DTD 26.02.24 | 1781_18section1pdf | 01.08.2024 | 5 |
| 4 | Licensed Electrical Supervisor / Electrician If Applicable (For Electrical Work) | Complied | LETTER DTD. 26.2.24 | 1781_19section1pdf | 01.02.2026 | 5 |
| 5 | License under the Factory Act.1948 / Contract Labor Act / Shop Act | Complied | GGN/P-285/4956 | 1781_11section1pdf | 01.07.2028 | 5 |
| 6 | Number of employees authorized to deploy as per license | Complied | 50 | 1781_12section1pdf | 01.07.2028 | 5 |
| 7 | Is the organization registered for EPF? | Complied | GGNGN0026378000 | 1781_13section1pdf | 01.05.2025 | 5 |
| 8 | Is the organization registered for ESIC? | Complied | 4119327513 | 1781_14section1pdf | 01.06.2024 | 5 |
| 9 | Is the organization registered for GSTN? | Complied | 07AACCP8203D1ZS | 1781_15section1pdf | 01.01.2031 | 5 |
| 10 | Any complaint registered against the contractor in past under Labour laws | Complied | LETTER DTD 26.2.24 | 1781_20section1pdf | 29.01.2024 | 5 |

Total -50

Section 2 - Safety Performance

| Sr.No | Requirement Text | Answer | Details | Attachment | Score |
|-------|--|--------|---------|--------------------|-------|
| 1 | No. of Accidents (Medical Treatment) in last 2 years | 0 | | 1781_21section2pdf | 5 |
| 2 | No. of Fatalities (Verify from Govt. data / reference check) | 0 | | 1781_22section2pdf | 5 |
| 3 | No. of Lost time injuries as per Factories Act 1948 (Injured person not able to work more than 48 hours from time of accident) | 0 | | 1781_23section2pdf | 5 |
| 4 | No. of Fire Incident in last 2 years | 0 | | 1781_24section2pdf | 5 |
| 5 | Has the organisation been prosecuted for an HSE breach or injury to an employee? Specify nos. | 0 | | 1781_25section2pdf | 5 |

Total -25

Section 3 - General EHS Systems

| Sr.No | Requirement Text | Answer | Details | Attachment | Score |
|-------|--|--------|---------|--------------------|-------|
| 1 | HSE Policy (Provide evidence by supplying copies of relevant documents) | Yes | | 1781_26section3pdf | 5 |
| 2 | Induction and Training (provide relevant documents) | Yes | | 1781_27section3pdf | 5 |
| 3 | PPE's maintained in Good Condition | Yes | | 1781_28section3pdf | 5 |
| 4 | Health monitoring of Employees - Medical Check Up Done for employee's as per Form 7 (date / Fitness Certificate from AFIH doctor) | Yes | | 1781_29section3pdf | 5 |
| 5 | Does the organization regularly inspect and maintain hand tools, machinery (cranes, vehicles, hoists/lifting tools, etc.) | Yes | | 1781_30section3pdf | 5 |

Total -25

| Sr.No | Requirement Text | Answer | Details | Attachment | Score | |
|-------|---|--------|---------|--------------------|-------|--|
| 1 | Is the contract employee aware of Work Permit System / Work Permit Adherence? | Yes | | 1781_31section4pdf | 5 | |
| 2 | Is the organization aware of Method Statement/ Method Statement Adherence? | Yes | | 1781_32section4pdf | 5 | |
| 3 | Are the contract employees aware of Emergency Response Procedure? | Yes | | 1781_33section4pdf | 5 | |
| 4 | Has the organization conducted a HIRA study in past / or as a part of current practice? | Yes | | 1781_34section4pdf | 5 | |
| 5 | Does the organization have and follow safe work procedures, documents which define how risks relevant to the contracted activities are managed? | Yes | | 1781_35section4pdf | 5 | |

Total -25

Section 5 - Plant and Equipment

| Sr.No | Requirement Text | Answer | Details | Attachment | Score |
|-------|---|--------|---------|--------------------|-------|
| 1 | Are the tools and equipment used in good working condition? | Yes | | 1781_36section5pdf | 5 |
| 2 | Do the tools and equipment comply with standards such as ISI Mark / Energy Efficient 5 star rating guidelines? | Yes | | 1781_37section5pdf | 5 |
| 3 | Is the holding handle of equipment in good condition? | Yes | | 1781_38section5pdf | 5 |
| 4 | Are all plants and equipment compliant with the safety requirements? (including not damaged cables, no loose connections, equipped with 3 pin top) | Yes | | 1781_39section5pdf | 5 |
| 5 | Do contract employees have correct licenses / certificates to operate the plants and equipment? | Yes | | 1781_40section5pdf | 5 |

Total -25

Total Score

| Section | Score |
|---|-------|
| Section 1 Mandetory Requirement | 50 |
| Section 2 Safety Performance & System Awareness | 25 |
| Section 3 General EHS Systems | 25 |
| Section 4 EHS Practices | 25 |
| Section 5 Plant and Equipment | 25 |
| Total Score | 150 |

The overall ranking of pre-qualification is 100 % (Professional)

Approval Process History

| Role | Employee | Request Status | Comments | Updated On |
|--------------------|-----------------------------|----------------|--|------------------------|
| Department Head | 300608 - Vilas Pawar | Approved | ОК | Feb 29 2024 3:01PM |
| EHS | 401280 - Rajendra Pawar | Resend | Required Declaration for below section. Section 3 - General EHS Systems Sr. No: 03 Section 4 - EHS Practices Sr. No:04 | Feb 29 2024 3:19PM |
| EHS | 401280 - Rajendra Pawar | Approved | It is Ok from EHS. However, Plant HR must check Preliminary Details & Section 1 all points which is mandatory requirement. | Mar 2 2024 3:17PM |
| HR | 401652 - Gorakshnath Adhane | Approved | Ok, Approved | Mar 5 2024 2:22PM |
| CorporateEHS | 402023 - Rupesh Yadav | Approved | Okay, approved. | Mar 11 2024 10:42AM |
| HeadIR | 855987 - Kalyan Pawar | Approved | Approved | Mar 11 2024 2:57PM |