

Tax Invoice


AAVANIRA BIOTECH PVT. LTD. Kinetic Innovation Park D 1 Block, 18/1, MIDC, Chinchwad, Pune Pin -411019. Mr. Nilesh Parge 8308805200/8605649997 GSTIN/UIN: 27AAJCA0885D1ZQ CIN: U74900PN2010PTC137544 E-Mail : info@aaavanira.com	Invoice No.	Dated
	EMS/2324/1734	31-Mar-2024
	Delivery Note	Mode/Terms of Payment
	Supplier's Ref.	Other Reference(s)
Buyer Premier Seals (India)Pvt. Ltd. Mr. SHREENATH YERBAGKAR, MIDC Chinchwad , D- 1 Block ,, Chinchwad Pune, email- rajendrachavan73@yahoo.com, Con No. Tel:918698747108, purchase@premierseals.in State Name : Maharashtra, Code : 27 GSTIN/UIN : 27AABCP6517B1ZQ PAN/IT No : AABCP6517B	EMS/22324/1734	
	Buyer's Order No.	Dated
	CSER2324-00500	1-Mar-2024
	Despatch Document No.	Delivery Note Date
	Despatched through	Destination
Terms of Delivery		

SI No.	Description of Goods	HSN/SAC	GST Rate	Quantity	Rate	per	Disc. %	Amount
1	Ambient Noise Monitoring Day	00998346	18 %	3.0 Nos	100.00	Nos		300.00
2	Ambient Noise Monitoring Night	00998346	18 %	3.0 Nos	100.00	Nos		300.00
3	Illumination Survey	00998346	18 %	10.0 Nos	100.00	Nos		1,000.00
4	Workzone Noise Monitoring	00998346	18 %	10.0 Nos	100.00	Nos		1,000.00
5	DG Noise Monitoring	00998346	18 %	2.0 Nos	500.00	Nos		1,000.00
6	Workzone Air Monitoring	00998346	18 %	3.0 Nos	1,200.00	Nos		3,600.00
7	Drinking Water Analysis	998346	18 %	1.0 Nos	1,800.00	Nos		1,800.00
8	Ventilation Survey	00998346	18 %	1.0 Nos	2,500.00	Nos		2,500.00
9	Ambient Air Monitoring	00998346	18 %	3.0 Nos	3,500.00	Nos		10,500.00
								22,000.00
Output CGST @9%						9 %		1,980.00

continued ...

SUBJECT TO PUNE JURISDICTION

This is a Computer Generated Invoice



Tax Invoice(Page 2)

AAVANIRA BIOTECH PVT. LTD. Kinetic Inovation Park D 1 Block, 18/1, MIDC, Chinchwad, Pune Pin -411019. Mr. Nilesh Parge 8308805200/8605649997 GSTIN/UIN: 27AAJCA0885D1ZQ CIN: U74900PN2010PTC137544 E-Mail : info@aaavanira.com	Invoice No.	Dated
	EMS/2324/1734	31-Mar-2024
	Delivery Note	Mode/Terms of Payment
	Supplier's Ref.	Other Reference(s)
Buyer Premier Seals (India)Pvt. Ltd. Mr. SHREENATH YERBAGKAR, MIDC Chinchwad , D- 1 Block ,, Chinchwad Pune, emai- rajendrachavan73@yahoo.com, Con No. Tel:918698747108, purchase@premierseals.in State Name : Maharashtra, Code : 27 GSTIN/UIN : 27AABCP6517B1ZQ PAN/IT No : AABCP6517B	Buyer's Order No.	Dated
	CSER2324-00500	1-Mar-2024
	Despatch Document No.	Delivery Note Date
	Despatched through	Destination
Terms of Delivery		

Sl No.	Description of Goods	HSN/SAC	GST Rate	Quantity	Rate	per	Disc. %	Amount
	Output SGST @9%					9 %		1,980.00
Total				36.0 Nos				₹ 25,960.00

Amount Chargeable (in words) E. & O.E

Indian Rupees Twenty Five Thousand Nine Hundred Sixty Only

HSN/SAC	Taxable Value	Central Tax		State Tax		Total Tax Amount
		Rate	Amount	Rate	Amount	
00998346	20,200.00	9%	1,818.00	9%	1,818.00	3,636.00
998346	1,800.00	9%	162.00	9%	162.00	324.00
Total	22,000.00		1,980.00		1,980.00	3,960.00

Tax Amount (in words) : **Indian Rupees Three Thousand Nine Hundred Sixty Only**


Remarks:
 Environment Monitoring March 2024
 Company's PAN : **AAJCA0885D**

Company's Bank Details
 Bank Name : **Bank of Maharashtra 4477**
 A/c No. : **60063334477**
 Branch & IFS Code : **NEW SANGVI BRANCH & MAHB0001484**
 for **AAVANIRA BIOTECH PVT. LTD.**

Declaration
 • We are registered under Udyam Registration Certificate No. UDYAM-MH-26-0120817. Please make the payment within credit limit or will be attract penal interest according to Udyam Act At 0.034 per day .


 Authorised Signatory

SUBJECT TO PUNE JURISDICTION
 This is a Computer Generated Invoice



ENalyze*

Ambient Noise Monitoring Report Report No. AB/PSI/03/2023-24/847


Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019		Sample Code		AB/PSI/03/2023-24/847
		Sample Type		Ambient Noise
		Method of Sampling		IS:9876 (RA:2001)
		Sample Collected By		Aavanira Biotech Pvt. Ltd.
		Sample Collected On		18/03/2024
		Reporting Date		23/03/2024
Instrument Details		Sound Level Meter, AB/Tech/Instr/200 Calibrated on -09/07/2023 Due On-10/07/2024		
Sr. No.	Test Location	Reading		Unit
		Day Time	Night Time	
1	Near Main Gate	68.4	57.9	dB(A)
2	Near Scrap Yard	67.9	60.1	dB(A)
3	Near Raw Material	70.2	59.6	dB(A)

Sr. No.	Category of Area	Limits dB(A) Leq	
		Day Time	Night Time
A	Industrial Area	<75	<70
B	Commercial Area	<65	<55
C	Residential Area	<55	<45
D	Silence Zone	<50	<40

Note: 1 Day Time shall mean from 06:00 am. to 10:00 pm.


Note: 2 Night Time shall mean from 10:00 pm. to 06:00 am.

Statement of Conformity: Limits: Maharashtra Pollution Control Board has prescribed 75 dB (A) as an upper limit of Noise Level during day time & 70 db (A) for night time. Above results are complies with the prescribed limits by MPCB.


Verified By – Quality Manager


Govt. Analyst
-----End of Report-----


Authorized By – Technical Manager/
Dy. Technical Manager



ENalyze*

Illumination Survey Report		Report No. AB/PSI/03/2023-24/852
Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019	Sample Code	AB/PSI/03/2023-24/852
	Sample Location	Shop Floor
	Sample Type	Illumination
	Method of Sampling	IS : 6665-1972 (RA:2020)
	Sample Collected By	Aavanira Biotech Pvt. Ltd.
	Sample Collected On	18/03/2024
	Reporting Date	23/03/2024
Instrument Details	Lux Meter, AB/Tech/Instr/72 Calibrated on -10/07/2023 Due On-09/07/2024	

Sr. No.	Test Location	Reading	Unit
1.	Compression Machine No.13	409	Lux
2.	Compression Machine No.66	377	Lux
3.	Compression Machine No.64	454	Lux
4.	TVD Area Firewall - QC Table	597	Lux
5.	Tool Room	409	Lux
6.	MPI Area	502	Lux
7.	CNC Machine No. 08 & 09	703	Lux
8.	Final Inspection	697	Lux
9.	Compound Stock Room	598	Lux
10.	Chemical Room	412	Lux

Statement of Conformity: Prescribed standards of lighting in, The Factories Act 1948, is attached as Annexure-1. Illumination Level in the factory is found satisfactory, as per The Factories Act, 1948.

Verified By – Quality Manager


Govt. Analyst
-----End of Report-----

Authorized By – Technical Manager /
Dy. Technical Manager




SCHEDULE 'A'

Sr. No.	Area & Work Room	Minimum Intensity of Illumination in Lux
01	Stock-yards, main entrance and exit roads, cat-walks of outdoor plants, coal unloading and storage areas.	20
02	Passage-ways, and corridors and stair-ways, warehouses, stock-rooms for large and bulky materials, platforms of outdoor plants, basements.	50
03	Engine and boiler rooms, passengers and freight elevators, conveyers crating and boxing departments, store-rooms and stock-rooms for medium and fine materials, lockers rooms, toilet and wash rooms.	100

SCHEDULE 'B'

Sr. No.	Nature of work	Examples	Minimum Intensity of Illumination in Lux
01	Where discrimination of details is not essential.	Handling of material of coarse nature, rough sorting, grinding of clay products, handling coal or ashes.	50
02	Where slight discrimination of details is essential.	Production of semi-finished iron and steel products, rough assembling, milling of grains, opening, carding, drawing, slubbing, roving, spinning (ordinary) counts of cotton.	100
03	Where moderate discrimination of details is essential.	Medium assembling, rough bench work, inspection and testing of products, canning, sawing, ventering planning of lumber, sewing of light coloured textiles and leather products, weaving light thread, warping, slashing doubling (Fancy) spinning fine counts.	200
04	Where close discrimination of details is essential.	Medium bench and machine work fine testing, flour grading, leather finishing, weaving cotton goods, or light coloured woolen goods, welding sub-assembly, drilling, rivetting, book-binding and folding.	300
05	Where discrimination of fine details is involved under a fair degree of contract for long periods of time.	Fine assembling, fine bench and machine work, fine inspection, fine polishing and beveling of glass, fine wood working, weaving dark coloured woolen goods.	500
06	Where discrimination of externally fine details is involved under condition of externally poor contrast for long periods of time.	Extra fine assembling, extra fine inspection, testing of extra fine instruments, jewellery and watch manufacturing, grading and working of tobacco products, dark cloth hand tailoring, final perching in dye works, make-up and proof reading in printing plants.	1000





ENalyze*

Workzone Noise Monitoring Report Report No. AB/PSI/03/2023-24/848

Client Details Name & Address:		Sample Code	AB/PSI/03/2023-24/848	
PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019		Sample Type	Workzone Noise	
		Method of Sampling	IS : 4758 (RA:2017)	
		Sample Collected By	Aavanira Biotech Pvt. Ltd.	
		Sample Collected On	18/03/2024	
		Reporting Date	23/03/2024	
		Instrument Details	Sound Level Meter, AB/Tech/Instr/200 Calibrated on -09/07/2023 Due On-10/07/2024	
Sr. No.	Test Location	Reading	Unit	Limit As per The Factories Act, 1948
1.	Blasting Area	83.8	dB(A)	<90
2.	Performing Operation Slicer Machine 01 & 02	75.7	dB(A)	<90
3.	Moulding Area	72.9	dB(A)	<90
4.	Compression Machine No.66	79.9	dB(A)	<90
5.	TVD Area QC Table- 1 st Floor	62.0	dB(A)	<90
6.	TVD Shop - Grinding Machine	82.5	dB(A)	<90
7.	Tool Room	70.1	dB(A)	<90
8.	MPI Area	73.5	dB(A)	<90
9.	Open Mixing Mill Machine No.04	74.3	dB(A)	<90
10.	VMC Department Machine No.49	75.5	dB(A)	<90


Statement of Conformity: Limits: The Factories Act, 1948, has prescribed 90 dB (A) as an upper limit of noise level for 8 hours exposure. Above results are complies with the prescribed the Factories Act, 1948 Standards.


Verified By – Quality Manager


Govt. Analyst
-----End of Report-----


Authorized By – Technical Manager/
Dy. Technical Manager

Page 1 of 1




ENalyze*

DG Insertion Loss Monitoring Report

Report No. AB/PSI/03/2023-24/849


Client Details Name & Address:			Sample Code		AB/PSI/03/2023-24/849				
PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019			Sample Type		DG Insertion Loss Noise				
			Method of Sampling		IS : 4758 (RA:2017)				
			Sample Collected By		Aavanira Biotech Pvt. Ltd.				
			Sample Collected On		18/03/2024				
			Reporting Date		23/03/2024				
			Instrument Details		Sound Level Meter, AB/Tech/Instr/223 Calibrated on -10/07/2023 Due On-09/07/2024				
Sr. No.	Test Location	DG ON (Open) Door 0.5 Meter away	DG ON (Closed Door 0.5 Meter away)					For Insertion Loss	Unit
			N1	N2	N3	N4	Avg.		
1.	DG Set (500 KVA)	99.8	74.2	74.4	74.9	74.3	74.4	25.4	dB(A)

Statement of Conformity: The acoustic enclosure /acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss for meeting the ambient noise standards, whichever is on higher side. Above results are Complies with MPCB limits


Verified By – Quality Manager


Govt. Analyst
-----End of Report-----


Authorized By – Technical Manager/
Dy. Technical Manager



ENalyze*

DG Insertion Loss Monitoring Report


Report No. AB/PSI/03/2023-24/850


Client Details Name & Address:			Sample Code		AB/PSI/03/2023-24/850				
PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019			Sample Type		DG Insertion Loss Noise				
			Method of Sampling		IS : 4758 (RA:2017)				
			Sample Collected By		Aavanira Biotech Pvt. Ltd.				
			Sample Collected On		18/03/2024				
			Reporting Date		23/03/2024				
Instrument Details			Sound Level Meter, AB/Tech/Instr/223 Calibrated on -10/07/2023 Due On-09/07/2024						
Sr. No.	Test Location	DG ON (Open) Door 0.5 Meter away	DG ON (Closed Door 0.5 Meter away)					For Insertion Loss	Unit
			N1	N2	N3	N4	Avg.		
1.	DG Set (200 KVA)	98.3	72.8	73.4	72.9	73.0	73.0	25.3	dB(A)

Statement of Conformity: The acoustic enclosure /acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss for meeting the ambient noise standards, whichever is on higher side. Above results are Complies with MPCB limits


Verified By – Quality Manager


Govt. Analyst
-----End of Report-----


Authorized By – Technical Manager/
Dy. Technical Manager



ENalyse*

Workzone Air Quality Monitoring Report Report No. AB/PSI/03/2023-24/844

Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019		Sample Code		AB/PSI/03/2023-24/844	
		Sample Name /Location		Adhesive Area	
		Sample Type		Workzone Air	
		Method of Sampling		NIOSH Manual	
		Sample Collected By		Aavanira Biotech Pvt. Ltd.,	
		Sample Collected On		18/03/2024	
		Sample Received on Date		19/03/2024	
		Sample Condition / Description		Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.	
		Analysis Date		19/03/2024 to 23/03/2024	
		Analysis Done At		Aavanira Biotech Pvt Ltd	
Reporting Date		23/03/2024			
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Portable Gas Sampler, AB/Tech/Instr/138 Calibrated on -09/07/2023 Due On-10/07/2024			
Ambient Temperature		32.5°C	Relative Humidity(RH)	40 %	
Sampling Duration		01 Hr.			
Time of Sampling		12:10 p.m.			
Sr. No.	Parameter	Result	Unit	The Factories Act 1948, standards	Standard Method
1	Suspended Particulate Matter (SPM)	132.0	µg/m ³	N.S.	NIOSH METHOD: 0500, Issue 2
2	Sulphur Dioxide (SO ₂)	75.8	µg/m ³	≤ 5000	NIOSH METHOD: 6004, Issue 2
3	Oxides of Nitrogen (NO _x)	88.2	µg/m ³	≤ 6000	NIOSH METHOD: 6014, Issue 2

N.S. = Not Specified

Statement of Conformity: The above mentioned test results are complies with prescribed the Factories Act, 1948 Standards limits.



Verified By – Quality Manager



Govt. Analyst
-----End of Report-----



Authorized By – Technical Manager/
Dy. Technical Manager




ENalyze*

Workzone Air Quality Monitoring Report Report No. AB/PSI/03/2023-24/845

Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019	Sample Code	AB/PSI/03/2023-24/845			
	Sample Name /Location	Chemical Room			
	Sample Type	Workzone Air			
	Method of Sampling	NIOSH Manual			
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,			
	Sample Collected On	18/03/2024			
	Sample Received on Date	19/03/2024			
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.			
	Analysis Date	19/03/2024 to 23/03/2024			
	Analysis Done At	Aavanira Biotech Pvt Ltd			
Reporting Date	23/03/2024				
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Portable Gas Sampler, AB/Tech/Instr/138 Calibrated on -09/07/2023 Due On-10/07/2024				
Ambient Temperature	32.5°C	Relative Humidity(RH)	40 %		
Sampling Duration	01 Hr.				
Time of Sampling	02:00 p.m.				
Sr. No.	Parameter	Result	Unit	The Factories Act 1948, standards	Standard Method
1	Suspended Particulate Matter (SPM)	76.5	µg/m ³	N.S.	NIOSH METHOD: 0500, Issue 2
2	Sulphur Dioxide (SO ₂)	46.1	µg/m ³	≤ 5000	NIOSH METHOD: 6004, Issue 2
3	Oxides of Nitrogen (NO _x)	52.0	µg/m ³	≤ 6000	NIOSH METHOD: 6014, Issue 2


N.S. = Not Specified

Statement of Conformity: The above mentioned test results are complies with prescribed the
Factories Act, 1948 Standards limits.


Verified By – Quality Manager


Govt. Analyst
-----End of Report-----


Authorized By – Technical Manager/
Dy. Technical Manager



ENalyze*

Workzone Air Quality Monitoring Report Report No. AB/PSI/03/2023-24/846

Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019	Sample Code	AB/PSI/03/2023-24/846			
	Sample Name /Location	Moulding Area			
	Sample Type	Workzone Air			
	Method of Sampling	NIOSH Manual			
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,			
	Sample Collected On	18/03/2024			
	Sample Received on Date	19/03/2024			
	Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.			
	Analysis Date	19/03/2024 to 23/03/2024			
	Analysis Done At	Aavanira Biotech Pvt Ltd			
Reporting Date	23/03/2024				
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Portable Gas Sampler, AB/Tech/Instr/138 Calibrated on -09/07/2023 Due On-10/07/2024				
Ambient Temperature	33.5°C	Relative Humidity(RH)	37 %		
Sampling Duration	01 Hr.				
Time of Sampling	03:25 p.m.				
Sr. No.	Parameter	Result	Unit	The Factories Act 1948, standards	Standard Method
1	Suspended Particulate Matter (SPM)	182.0	µg/m ³	N.S.	NIOSH METHOD: 0500, Issue 2
2	Sulphur Dioxide (SO ₂)	84.1	µg/m ³	≤ 5000	NIOSH METHOD: 6004, Issue 2
3	Oxides of Nitrogen (NOx)	98.5	µg/m ³	≤ 6000	NIOSH METHOD: 6014, Issue 2

N.S. = Not Specified

Statement of Conformity: The above mentioned test results are complies with prescribed the
Factories Act, 1948 Standards limits.



Verified By – Quality Manager




Govt. Analyst

-----End of Report-----



Authorized By – Technical Manager/
Dy. Technical Manager



ENalyse*

ULR No: Not Applicable

Test Report

REPORT NO.-AB/RPO/03/2023-24/297

Premier Seals Pvt Ltd, 20/8,D – 1 Block ,MIDC Chinchwad.	Sample Code	AB/03/2023-24/297
	Sample Name	Drinking Water – Shop Floor
	Sample Type	Drinking Water
	Method for Sampling	IS:3025 Part 1
	Sample Collected By	Aavanira Biotech Pvt Ltd
	Sample Collected On	18/03/2024
	Sample Received on Date	18/03/2024
	Sample Condition/Description	Received In 1 Litre Sealed & Intact Plastic Container
	Analysis Date	19/03/2024 to 26/03/2024
	Analysis Done At	Aavanira Biotech Pvt Ltd
	Reporting Date	27/03/2024

Sample returned /stored

Stored at 4°C for 1 week from the date of reporting

Sr. No.	Parameter	Result	Limit as per IS:10500 Standard	Unit	Standard Method
1.	Colour	1.0	5	Hazen Units	IS: 3025 Part-04 (R.A : 2017)
2.	pH	7.13	6.5 to 8.5	--	IS: 3025 Part-11 (R.A : 2017)
3.	Turbidity	0.91	1	NTU	IS: 3025 Part-10 (R.A : 2017)
4.	Total Dissolved solids	87.0	500	mg/lit	IS: 3025 Part-16 (R.A : 2017)
5.	Total Hardness (as CaCO ₃)	48.0	200	mg/lit	IS: 3025 Part-21 (2019)
6.	Total Alkalinity (as CaCO ₃)	41.76	200	mg/lit	IS: 3025 Part-23 (R.A : 2019)
7.	Chloride (as Cl ⁻)	10.0	250	mg/lit	IS: 3025 Part-32 (R.A : 2019)
8.	Sulphate (as SO ₄ ²⁻)	BDL	200	mg/lit	APHA : 23 rd edition -(4500- SO ₄ ²⁻ E)
9.	Residual Chlorine	BDL	0.2	mg/lit	APHA : 23 rd edition -(4500-Cl B)
10.	Iron (as Fe)	BDL	0.3	mg/lit	IS: 3025 Part-02 (2019)
11.	Calcium (as Ca)	12.90	75	mg/lit	IS: 3025 Part-02 (2019)
12.	Magnesium (as Mg)	3.35	30	mg/lit	IS: 3025 Part-02 (2019)
13.	Total Coliform	Absent	Absent	/100ml	IS 15185:2016
14.	<i>Escherichia coli</i>	Absent	Absent	/100ml	IS 15185:2016

BDL: Below Detection Limit.

Statement of Conformity: The above mentioned test results are complies with limits prescribed in IS: 10500:2018 standard.

Verified By – Quality Manager

Govt. Analyst

-----End of Report-----

Authorized By – Technical Manager /
Dy. Technical Manager



ENalyze*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report				Report No. AB/PSI/03/2023-24/841	
Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019		Sample Code	AB/PSI/03/2023-24/841		
		Sample Name /Location	Near Main Gate		
		Sample Type	Ambient Air		
		Method of Sampling	IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)		
		Sample Collected By	Aavanira Biotech Pvt. Ltd.,		
		Sample Collected On	18/03/2024		
		Sample Received on Date	19/03/2024		
		Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.		
		Analysis Date	19/03/2024 to 23/03/2024		
		Analysis Done At	Aavanira Biotech Pvt Ltd		
Reporting Date	23/03/2024				
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Ambient Fine Dust Sampler, AB/Tech/Instr/120 Calibrated on -09/07/2023 Due On-10/07/2024				
Ambient Temperature	36.5°C	Relative Humidity(RH)	38 %		
Sampling Duration	24 Hrs.				
Time of Sampling	10:30 a.m. to 10:30 a.m.				
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	81.17	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2017)
2.	Particulate Matter (PM _{2.5})	34.50	µg/m ³	≤ 60	IS 5182 Part 24 : 2019
3.	Sulphur Dioxide (SO ₂)	26.5	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2017)
4.	Oxides of Nitrogen (NO _x)	28.7	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2017)
5.	Ozone (O ₃)	16.0	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2019)
6.	Lead (Pb)	0.11	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.92	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999 (R.A.:2019)
8.	Ammonia (NH ₃)	14.8	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2017)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2017)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.


Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified By – Quality Manager

Govt. Analyst

-----End of Report-----

Authorized By – Technical Manager/
Dy. Technical Manager



ENalyse*

ULR No.: Not Applicable					
Ambient Air Quality Monitoring Report			Report No. AB/PSI/03/2023-24/842		
Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019		Sample Code	AB/PSI/03/2023-24/842		
		Sample Name /Location	Near Scrap Yard		
		Sample Type	Ambient Air		
		Method of Sampling	IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)		
		Sample Collected By	Aavanira Biotech Pvt. Ltd.,		
		Sample Collected On	18/03/2024		
		Sample Received on Date	19/03/2024		
		Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.		
		Analysis Date	19/03/2024 to 23/03/2024		
		Analysis Done At	Aavanira Biotech Pvt Ltd		
Reporting Date	23/03/2024				
Sample returned /stored		Stored at 4°C for 1 week from the date of reporting			
Instrument Details		Ambient Fine Dust Sampler, AB/Tech/Instr/132 Calibrated on -09/07/2023 Due On-10/07/2024			
Ambient Temperature		35.8°C	Relative Humidity(RH)	34 %	
Sampling Duration		24 Hrs.			
Time of Sampling		10:45 a.m. to 10:45 a.m.			
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	86.90	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2017)
2.	Particulate Matter (PM _{2.5})	36.82	µg/m ³	≤ 60	IS 5182 Part 24 : 2019
3.	Sulphur Dioxide (SO ₂)	32.1	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2017)
4.	Oxides of Nitrogen (NO _x)	35.0	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2017)
5.	Ozone (O ₃)	18.5	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2019)
6.	Lead (Pb)	0.13	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	2.10	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999 (R.A.:2019)
8.	Ammonia (NH ₃)	18.0	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2017)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2017)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.


Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified By – Quality Manager

Govt. Analyst

-----End of Report-----

Authorized By – Technical Manager/
Dy. Technical Manager



ENalyze*

ULR No.: Not Applicable

Ambient Air Quality Monitoring Report

Report No. AB/PSI/03/2023-24/843

Client Details Name & Address:		Sample Code	AB/PSI/03/2023-24/843		
PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019		Sample Name /Location	Near Raw Material		
		Sample Type	Ambient Air		
		Method of Sampling	IS:5182 &CPCB Manual-(NAAQMS 36/2012-13)		
		Sample Collected By	Aavanira Biotech Pvt. Ltd.,		
		Sample Collected On	18/03/2024		
		Sample Received on Date	19/03/2024		
		Sample Condition / Description	Liquids of 30 ml in Sealed & intact plastic Containers, Filter Papers in sealed case.		
		Analysis Date	19/03/2024 to 23/03/2024		
		Analysis Done At	Aavanira Biotech Pvt Ltd		
		Reporting Date	23/03/2024		
Sample returned /stored	Stored at 4°C for 1 week from the date of reporting				
Instrument Details	Ambient Fine Dust Sampler, AB/Tech/Instr/121 Calibrated on -09/07/2023 Due On-10/07/2024				
Ambient Temperature	35.0°C	Relative Humidity(RH)	32 %		
Sampling Duration	24 Hrs.				
Time of Sampling	11:10 p.m. to 11:10 p.m.				
Sr. No.	Parameter	Results	Units	NAAQ Standards	Standard Method
1.	Particulate Matter (PM ₁₀)	79.28	µg/m ³	≤ 100	IS 5182 Part 23 : 2006 (R.A.:2017)
2.	Particulate Matter (PM _{2.5})	32.35	µg/m ³	≤ 60	IS 5182 Part 24 : 2019
3.	Sulphur Dioxide (SO ₂)	22.4	µg/m ³	≤ 80	IS 5182 Part 2 : 2001 (R.A.:2017)
4.	Oxides of Nitrogen (NO _x)	29.0	µg/m ³	≤ 80	IS 5182 Part 6 : 2006 (R.A.:2017)
5.	Ozone (O ₃)	12.6	µg/m ³	≤ 180 (1 Hr.)	IS: 5182 Part 9 : 1974 (R.A.:2019)
6.	Lead (Pb)	BDL[D.L.=0.1]	µg/m ³	≤ 1.0	SOP No. AB/TECH/CHM/SOP/A/07
7.	Carbon Monoxide (CO)	1.81	mg/m ³	≤ 04 (1 Hr.)	IS 5182 Part 10 : 1999 (R.A.:2019)
8.	Ammonia (NH ₃)	13.4	µg/m ³	≤ 400	IS 5182 Part 25 : 2018
9.	Benzene (C ₆ H ₆)	BDL[D.L.=0.02]	µg/m ³	≤ 05 (Annual)	IS 5182 Part 11 : 2006 (R.A.:2017)
10.	Benzo(a)Pyrene (BaP)	BDL[D.L.=0.001]	ng/m ³	≤ 01(Annual)	IS 5182 Part 12 :2004 (R.A.:2017)
11.	Arsenic (As)	BDL[D.L.=0.1]	ng/m ³	≤ 06 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07
12.	Nickel (Ni)	BDL[D.L.=0.1]	ng/m ³	≤ 20 (Annual)	SOP No. AB/TECH/CHM/SOP/A/07

BDL: Below Detection Limit.


Statement of Conformity: The above mentioned test results are complies with prescribed National Ambient Air Quality Standards (NAAQS: 2009) limits.

Verified By – Quality Manager

Govt. Analyst

-----End of Report-----

Authorized By – Technical Manager/
Dy. Technical Manager



Recognized by Ministry of Environment, Forest & Climate Change (MoEFCC), Govt. of India
ISO 9001: 2015 and ISO 45001: 2018 Certified Company

ENalyze*

Ventilation Survey Report

REPORT NO. AB/PSI/03/2023-24/851

Client Details Name & Address: PREMIER SEALS INDIA PVT. LTD. 20/8, D-1 Block, MIDC Chinchwad, Pune -411019	Sample Code	AB/PSI/03/2023-24/851
	Sample Location	Shop Floor
	Sample Collected By	Aavanira Biotech Pvt. Ltd.,
	Method of Sampling	IS : 3103-1975 (RA:2018)
	Sample type	Ventilation
	Date of Sampling	18/03/2024
	Reporting date	23/03/2024
	Instrument Details	Digital Anemometer , AB/Tech/Instr/193
Instrument Details	Digital Anemometer , AB/Tech/Instr/193 Calibrated on -10/07/2023 Due On-09/07/2024	

Sr. No.	Particulars	Unit	Results
1	Test Location	-	Shop Floor
2	Shop Temperature	°C	35.0
3	Dry Bulb Temperature	°C	34.5
4	Wet Bulb Temperature	°C	26.0
5	Relative Humidity	%	36

Sr. No	Location	Incoming Velocity (Anemometer) Reading m/s
1.	Compression Machine No.13	0.7
2.	Compression Machine No.66	0.6
3.	Compression Machine No.64	0.7
4.	TVD Area Firewall - QC Table	0.8
5.	Tool Room	0.6
6.	MPI Area	0.6
7.	CNC Machine No. 08 & 09	0.7
8.	Final Inspection	0.6
9.	Compound Stock Room	0.6
10.	Chemical Room	0.8
Average		0.67
Average Air Movement in shop floor		40.36 mtrs./min

Statement of Conformity: As per The Maharashtra Factories Rule 1963, Section 22-A, for natural ventilation; an adequate air movement of at least 30 mtrs. /min shall be provided. Ventilation Level in the factory/shop found satisfactory from the above results.

Verified By – Quality Manager

Govt. Analyst

-----End of Report-----

Authorized By – Technical Manager /
Dy. Technical Manager

