


Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

**TEST REPORT**

<b>Test Report No: -</b>	GESEC/AAQM/2023-24/10/660	<b>Report Date</b>	18/10/2023	
<b>Sample ID: -</b>	GESEC/AAQM/2023-24/10/660			
<b>Name &amp; Address of the Customer</b>	M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007			
<b>Ambient Air Sample Details</b>				
<b>Type</b>	<b>Sampling Location</b>	<b>Sampling done by</b>		
Ambient Air	Near Security Cabin	GESEC		
<b>Sampling Time</b>				
<b>Start Time</b>	<b>Stop Time</b>	<b>Total Hrs.</b>		
10.30 am	06.30 pm	08 Hrs.		
<b>Meteorological Data/Environmental Conditions</b>				
<b>Ambient Temperature °C</b>	30	<b>Wet Bulb Temperature °C</b>	27	
<b>Dry Bulb Temperature °C</b>	30	<b>Relative Humidity % RH</b>	55	
<b>Date of Sampling</b>	<b>Sample Receipt Date</b>	<b>Analysis Start Date</b>	<b>Analysis End Date</b>	
10/10/2023	11/10/2023	11/10/2023	17/10/2023	
<b>Name of Instrument</b>	Fine Dust Sampler	<b>Date Of Calibration</b>	08/05/2023	
<b>Calibration Certificate No.</b>	FDS 24/GESEC/Lab/Inst/70	<b>Due Date of Calibration</b>	07/05/2024	
<b>Parameters</b>	<b>Method</b>	<b>Unit</b>	<b>NAAQ Standards</b>	<b>Result</b>
Sulphur Dioxide (SO <sub>2</sub> )	IS:5182 (PART 2):2017	µg/m <sup>3</sup>	≤ 80	19.01
Nitrogen Dioxide (NO <sub>2</sub> )	IS:5182 (PART 6):2018	µg/m <sup>3</sup>	≤ 80	21.65
Particulate Matter PM <sub>10</sub>	IS:5182 (PART 4):2019	µg/m <sup>3</sup>	≤ 100	48.32
Particulate Matter PM <sub>2.5</sub>	IS:5182 (PART 24):2019	µg/m <sup>3</sup>	≤ 60	19.10
Ozone(O <sub>3</sub> ) For 1 Hrs.	Method 411, Air Sampling and Analysis 3 <sup>rd</sup> Edition ,2013	µg/m <sup>3</sup>	≤ 180	9.23
Ammonia (NH <sub>3</sub> )	Method 401, Air Sampling and Analysis 3 <sup>rd</sup> Edition ,2013	µg/m <sup>3</sup>	≤400	12.96
<b>Remark-</b>				
<ul style="list-style-type: none"> <li>➤ All above results are within National Ambient Air Quality standards.</li> <li>➤ BDL-Below Detectable Limit.</li> </ul>				
			 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By	

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

**TEST REPORT**

<b>Test Report No: -</b>	GESEC/AAQM/2023-24/10/660	<b>Report Date</b>	18/10/2023	
<b>Sample ID: -</b>	GESEC/AAQM/2023-24/10/660			
<b>Name &amp; Address of the Customer</b>	M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007			
<b>Ambient Air Sample Details</b>				
<b>Type</b>	<b>Sampling Location</b>	<b>Sampling done by</b>		
Ambient Air	Near Security Cabin	GESEC		
<b>Sampling Time</b>				
<b>Start Time</b>	<b>Stop Time</b>	<b>Total Hrs.</b>		
10.30 am	06.30 pm	08 Hrs.		
<b>Meteorological Data/Environmental Conditions</b>				
<b>Ambient Temperature °C</b>	30	<b>Wet Bulb Temperature °C</b>	27	
<b>Dry Bulb Temperature °C</b>	30	<b>Relative Humidity % RH</b>	55	
<b>Date of Sampling</b>	<b>Sample Receipt Date</b>	<b>Analysis Start Date</b>	<b>Analysis End Date</b>	
10/10/2023	11/10/2023	11/10/2023	17/10/2023	
<b>Name of Instrument</b>	Fine Dust Sampler	<b>Date Of Calibration</b>	08/05/2023	
<b>Calibration Certificate No.</b>	FDS 24/GESEC/Lab/Inst/70	<b>Due Date of Calibration</b>	07/05/2024	
<b>Parameters</b>	<b>Method</b>	<b>Unit</b>	<b>NAAQ Standards</b>	<b>Result</b>
Carbon Monoxide (CO)	MASA-822 3rd Edition	µg/M <sup>3</sup>	≤ 04	0.32
Benzene (C <sub>6</sub> H <sub>6</sub> )	IS 5182 (Part 11) :2006 (RA 2017)	µg/M <sup>3</sup>	≤ 05	BDL
Benzo(a)Pyrene (BaP)	CPCB Manual Vol 1 2011	ng/M <sup>3</sup>	≤ 01	BDL
Arsenic (As)	MASA-822 3rd Edition	ng/M <sup>3</sup>	≤ 06	BDL
Nickel (Ni)	MASA-822 3rd Edition	ng/M <sup>3</sup>	≤ 20	BDL
Lead (Pb)	MASA-822 3rd Edition	µg/M <sup>3</sup>	<0.01	BDL
<b>Remark-</b>				
<ul style="list-style-type: none"> <li>➤ All above results are within National Ambient Air Quality standards.</li> <li>➤ BDL-Below Detectable Limit.</li> </ul>				
		 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By		



\*\*\*END OF REPORT\*\*\*



**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.


Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT					
Test Report No: -	GESEC/AAQM/2023-24/10/661		Report Date	18/10/2023	
Sample ID: -	GESEC/AAQM/2023-24/10/661				
Name & Address of the Customer	M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007				
Ambient Air Sample Details					
Type	Sampling Location		Sampling done by		
Ambient Air	Back Side of Company		GESEC		
Sampling Time					
Start Time	Stop Time		Total Hrs.		
10.40 am	06.40 pm		08 Hrs.		
Meteorological Data/Environmental Conditions					
Ambient Temperature °C	30	Wet Bulb Temperature °C	27		
Dry Bulb Temperature °C	30	Relative Humidity % RH	55		
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date		
10/10/2023	11/10/2023	11/10/2023	17/10/2023		
Name of Instrument	Fine Particulate Sampler	Date Of Calibration	08/05/2023		
Calibration Certificate No.	375/ GESEC/Lab/Inst/71	Due Date of Calibration	07/05/2024		
Parameters	Method	Unit	NAAQ Standards	Result	
Sulphur Dioxide (SO <sub>2</sub> )	IS:5182 (PART 2):2017	µg/m <sup>3</sup>	≤ 80	18.32	
Nitrogen Dioxide (NO <sub>2</sub> )	IS:5182 (PART 6):2018	µg/m <sup>3</sup>	≤ 80	20.98	
Particulate Matter PM <sub>10</sub>	IS:5182 (PART 4):2019	µg/m <sup>3</sup>	≤ 100	41.01	
Particulate Matter PM <sub>2.5</sub>	IS:5182 (PART 24):2019	µg/m <sup>3</sup>	≤ 60	17.44	
Ozone(O <sub>3</sub> ) For 1 Hrs.	Method 411, Air Sampling and Analysis 3 <sup>rd</sup> Edition ,2013	µg/m <sup>3</sup>	≤ 180	8.89	
Ammonia (NH <sub>3</sub> )	Method 401, Air Sampling and Analysis 3 <sup>rd</sup> Edition ,2013	µg/m <sup>3</sup>	≤400	10.98	
<b>Remark-</b>					
<ul style="list-style-type: none"> <li>➤ All above results are within National Ambient Air Quality standards</li> <li>➤ BDL-Below Detectable Limit.</li> </ul>					
			 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By		
					

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT					
Test Report No: -	GESEC/AAQM/2023-24/10/661		Report Date	18/10/2023	
Sample ID: -	GESEC/AAQM/2023-24/10/661				
Name & Address of the Customer	M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007				
Ambient Air Sample Details					
Type	Sampling Location		Sampling done by		
Ambient Air	Back Side of Company		GESEC		
Sampling Time					
Start Time	Stop Time		Total Hrs.		
10.40 am	06.40 pm		08 Hrs.		
Meteorological Data/Environmental Conditions					
Ambient Temperature °C	30	Wet Bulb Temperature °C	27		
Dry Bulb Temperature °C	30	Relative Humidity % RH	55		
Date of Sampling	Sample Receipt Date	Analysis Start Date	Analysis End Date		
10/10/2023	11/10/2023	11/10/2023	17/10/2023		
Name of Instrument	Fine Particulate Sampler	Date Of Calibration	08/05/2023		
Calibration Certificate No.	375/ GESEC/Lab/Inst/71	Due Date of Calibration	07/05/2024		
Parameters	Method	Unit	NAAQ Standards	Result	
Carbon Monoxide (CO)	MASA-822 3rd Edition	µg/M <sup>3</sup>	≤ 04	0.29	
Benzene (C <sub>6</sub> H <sub>6</sub> )	IS 5182 (Part 11) :2006 (RA 2017)	µg/M <sup>3</sup>	≤ 05	BDL	
Benzo(a)Pyrene (BaP)	CPCB Manual Vol 1 2011	ng/M <sup>3</sup>	≤ 01	BDL	
Arsenic (As)	MASA-822 3rd Edition	ng/M <sup>3</sup>	≤ 06	BDL	
Nickel (Ni)	MASA-822 3rd Edition	ng/M <sup>3</sup>	≤ 20	BDL	
Lead (Pb)	MASA-822 3rd Edition	µg/M <sup>3</sup>	<0.01	BDL	
<b>Remark-</b>					
<ul style="list-style-type: none"> <li>➤ All above results are within National Ambient Air Quality standards.</li> <li>➤ BDL-Below Detectable Limit.</li> </ul>					
			 <b>Mr. Vinod Hande</b> <b>(Technical Manager)</b> <b>Reviewed &amp; Authorized By</b>		

\*\*\*END OF REPORT\*\*\*

Page 2 of 2

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

**TEST REPORT**



<b>Test Report No: -</b>	GESEC/NLM/2023-24/10/662	<b>Report Date</b>	18/10/2023
<b>Sample ID: -</b>	GESEC/NLM/2023-24/10/662		
<b>Name &amp; Address of the Customer</b>	M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007		
<b>Noise Sample Details</b>			
<b>Type</b>	Noise		
<b>Sampling done by</b>	GESEC		
<b>Date of Sampling</b>	<b>Sample Receipt Date</b>	<b>Analysis Start Date</b>	<b>Analysis End Date</b>
10/10/2023	11/10/2023	11/10/2023	17/10/2023
<b>Name of Instrument</b>	Sound Level Meter	<b>Date of Calibration</b>	21/02/2023
<b>Calibration Certificate No.</b>	SSEC/ME/60	<b>Due Date of Calibration</b>	20/02/2024
<b>Test Location</b>	<b>Unit</b>	<b>Average Noise Level Readings</b>	<b>The Factories Act 1948, standards</b>
Near security Cabin	dB (A)	62.1	≤90
DG Set area	dB (A)	59.4	
CNC Shop	dB (A)	69.3	
Tool Room	dB (A)	72.1	
Press Shop	dB (A)	81.4	
Convectional M/C Area	dB (A)	69.5	
<b>Remark-</b>			
➤ The Factories Act, 1948, has prescribed 90 dB (A) as an upper limit of noise level for 8 hours exposure			
		 <b>Mr. Vinod Hande</b> <b>(Technical Manager)</b> <b>Reviewed &amp; Authorized By</b>	

\*\*\*END OF REPORT\*\*\*

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company


TEST REPORT				
Test Report No	GESEC/ST/2023-24/10/663		Report Date	18/10/2023
Sample ID: -	GESEC/ST/2023-24/10/663			
Name & Address of the Customer	M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007			
Sample Details				
Sample collection Date	Sample receipt Date	Analysis start Date	Analysis complete Date	
10/10/2023	11/10/2023	11/10/2023	17/10/2023	
Instrument Details				
Name Of Instrument	Stack Sampler	Date Of Calibration	21/02/2023	
Calibration Certificate No.	SSEC/FF/320	Due Date of Calibration	20/02/2024	
Stack Details				
Stack No/ID	Stack Attached to		Sampling done by	
	DG Set 250 KVA		GESEC	
Shape	Round	Fuel Used	Diesel	
Diameter/ Dimensions ( m )	0.1524	Pressure	3.5	
Height ( m )	3.0			
Temperature ( k )	393	Velocity ( m/s )	7.04	
Gas Volume (Nm <sup>3</sup> )	350.58			
Parameters	Method	Unit	Limit	Result
Total Particulate Matter	IS 11255 (Part 1) 2019	mg/NM <sup>3</sup>	≤ 150	48.96
Sulphur Dioxide (SO <sub>2</sub> )	IS 11255 (Part 2) 2019	mg/NM <sup>3</sup>	--	22.36
Sulphur Dioxide (SO <sub>2</sub> )	IS 11255 (Part 2) 2019	Kg/day	--	0.18
Oxide of Nitrogen (NOX)	IS 11255 (Part 2) 2019	mg/NM <sup>3</sup>	--	13.47
<b>Remarks-</b>				
➤ All above results are well within MPCB Limit.				
				 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By


\*\*\*End Of Report\*\*\*

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company



TEST REPORT					
Test Report No - GESEC/DW/2023-24/10/664		Date of Reporting		18/10/2023	
Sample ID - GESEC/DW/2023-24/10/664		Sample Details		Drinking water	
Name & Address of the Customer - M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007		Type of Sample		Water	
		Volume Of Sample		2 Lit Plastic CAN	
		Sample Status		Sealed	
		Sample Collected By		GESEC	
		Date of Sample Collection		10/10/2023	
		Date of Sample received in lab		11/10/2023	
		Analysis start Date		11/10/2023	
		Analysis End Date		17/10/2023	
WATER ANALYSIS REPORT					
Parameter	Result	Limits as per Is 10500:2012	Unit(s)	Standard Method	
Physical Parameter					
Turbidity	<0.12	Max 1	NTU	IS:3025(part10):2019	
TDS	101.8	Max 500	mg/lit	IS :3025(part 16):2017	
Chemical Parameter					
pH	7.23	6.5 to 8.5	--	APHA 4500, 23 <sup>rd</sup> Edition:2017	
Total Hardness	72.16	Max 200	mg/lit	IS:3025 Part-21:2019	
Total Alkalinity	63.22	Max 200	mg/lit	IS:3025 Part-23:2019	
Sulphate	12.95	Max 200	mg/lit	IS:3025 Part-24:2019	
Residual Chlorine	<0.1	Min 0.2	mg/lit	IS:3025(part 26):2019	
Chloride	22.48	Max 250	mg/lit	IS:3025 Part-32:2019	
Calcium (as Ca)	13.01	Max 75	mg/lit	IS:3025 Part-40:2019	
Magnesium (as Mg)	7.28	Max 30	mg/lit	APHA 3500- Mg, B, 23 <sup>rd</sup> Edition:2017	
<b>Remark(s):</b>					
➤ The above water sample is Comply with required limit as per IS 10500:2012.					
				 <b>Mr. Vinod Hande</b> (Technical Manager) Reviewed & Authorized By	



**Terms and conditions**

1. The report is refer only to the sample tested and not applies to the bulk.
2. The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
3. The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
4. Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
5. We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
6. MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.

Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

TEST REPORT					
Test Report No - GESEC/DW/2023-24/10/664		Date of Reporting		18/10/2023	
Sample ID - GESEC/DW/2023-24/10/664		Sample Details		Drinking water	
Name & Address of the Customer - M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007		Type of Sample		Water	
		Volume Of Sample		2 Lit Plastic CAN+ 250ml Sterile Bottle	
		Sample Status		Sealed	
		Sample Collected By		GESEC	
		Date of Sample Collection		10/10/2023	
		Date of Sample received in lab		11/10/2023	
		Analysis start Date		11/10/2023	
		Analysis End Date		17/10/2023	
WATER ANALYSIS REPORT					
Parameter	Result	Limits as per Is 10500:2012	Unit(s)	Standard Method	
Physical Parameter					
Color	<5	Max 5	Hazen	IS:3025 (part 4):2021	
Elemental Analysis					
Iron as Fe	0.013	Max 0.3	mg/lit	IS:3025(part 2):2019	
Microbiological Parameter					
Total Coliform	Absent	Absent	MPN/100ml	IS 1622:1981	
<i>E.coli.</i>	Absent	Absent	per/100ml	IS 1622:1981	
<b>Remark(s):</b>					
<ul style="list-style-type: none"> <li>➤ The above water sample is Comply with required limit as per IS 10500:2012.</li> <li>➤ For Total Coliform &amp; <i>E.coli.</i> Absent can be consider as Zero [ Refer IS:1622 (R.A.1996), Table No.-4].</li> </ul>					
					 <b>Mr. Vinod Hande</b> <b>(Technical Manager)</b> <b>Reviewed &amp; Authorized By</b>

\*\*\*End Of Report\*\*\*

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 04/12/2022.



Recognised by Ministry of Environment and Forests (MoEF) / Central Pollution Control Board Govt. of India (CPCB)  
ISO 9001:2015, ISO 45001 : 2018 and ISO 14001 : 2015 Certified Company

**TEST REPORT**

Test Report No - GESEC/WW/2023-24/10/659	Report Date	17/10/2023
Sample ID - GESEC/WW/2023-24/10/659	Sample Details	ETP Outlet
Name & Address of the Customer - M/s. Goldy Precision Stampings Pvt. Ltd F 85/1, MIDC, Satpur Colony, Nashik, Maharashtra 422007	Type of Sample	Waste Water
	Volume Of Sample	1 Lit plastic bottle
	Sample Status	Sealed
	Sample Collected By	GESEC
	Date of Sample Collection	09/10/2023
	Sample Receipt Date	11/10/2023
	Analysis start Date	11/10/2023
	Analysis End Date	17/10/2023

Parameters	Results	MPCB Limit	Unit	Standard Method
pH	7.14	5.5-9.0	--	APHA 4500 H+,B 23rd Edition.2017
Total Suspended Solid	32	<100	mg/l	APHA 2540 D 23 <sup>rd</sup> ED:2017
Total Dissolved Solid	816.43	<2100	mg/l	APHA 2540,C,23rd Edition, 2017
Chemical Oxygen Dissolved (COD)	98.82	<250	mg/l	IS 3025 (Part 58) , 2019
Biological Oxygen Dissolved (BOD) at 27°C for 3 days	26.00	<30	mg/l	IS 3025 (Part 44), 2019
Oil & Grease	<5	<10	mg/l	IS 3025 (Part 39), 2019
Chloride as Cl <sup>-</sup>	141.36	<600	mg/l	APHA 4500 Cl- B,23rd Edition, 2017
Sulphate as SO <sub>4</sub> <sup>2-</sup>	69.78	<1000	mg/l	APHA 3025 (Part 24) ;2019

**Remark:**

- All parameters are within the MPCB limit.



*Handwritten Signature*  
**Mr. Vinod Hande**  
(Technical Manager)  
Reviewed & Authorized By

**Terms and conditions**

- The report is refer only to the sample tested and not applies to the bulk.
- The results shown in this test report may differ based on various factors including temperature, humidity, pressure, retention time etc.
- The test report cannot be reproduced wholly or in part and cannot be used for promotional or publicity purpose without the written consent of laboratory, GESEC.
- Samples will be retained for a period of seven (7) days after completion of analysis. Longer retention periods can be arranged, on request of the customer.
- We strictly maintain the confidentiality of all test result of sample(s) collected by us/ supplied by customer and not revel to third party unless required by the statutory or legal requirement.
- MoEF approved Lab by Govt. of India. From date. 16/02/2022 to 29/02/2024.