



Regional Office
Uttarakhand Pollution Control Board
Chamunda Complex, Ramnagar Road, Kashipur- 244713
Web : www.ueppcb.uk.gov.in

UKPCB/ROK/Con-K-26/2024/ 58

Date 22/6/24

To,

M/s Kamal Plastomet
Plot No-A-5, Eldeco, Sidcul
Industrial Park,
Sitarganj, Distt-U.S.Nagar

Consolidated Consent to Operate and Authorization hereinafter referred to as the CCA (Consolidated Consent & authorization) (Fresh/Renewal/Reapplication/Expansion/) under Section-25 of the "Water (Prevention & Control of Pollution) Act, 1974" and under Section-21 of the "Air (Prevention & Control of Pollution) Act, 1981" and Authorization under "Rule-6" of the "Hazardous and Other Waste (Management, Handling and Trans boundary Movement) Rules, 2016" notified under "Environment (Protection) Act, 1986" as applicable (to be referred hereinafter as Water Act, Air Act and HW Rules respectively).

Caf ID -61614	App. No. -5286029
CCA- Renewal	
Order No- 990	

CCA is hereby granted to M/s Kamal Plastomet located Plot No-A-5, Eldeco, Sidcul, Industrial Park, Sitarganj, Distt-U.S.Nagar subject to the provisions of the Water Act, Air Act and HW Act and the orders that may be made further and subject to following terms and conditions :

1. (i). This CCA is granted for a period from up to 31.03.2029 and valid for manufacturing of following products with Capital Investment / Net Assets Values -1 cr. to 5 cr..

S. No.	Last CCA or CTE		Present CCA (Renewal)	
	Product	Quantity (Per Monrh)	Product	Quantity (Per Month)
1	Rubber Component	1950000 Nos	Rubber Component	1950000 Nos

- (ii). This CCA is valid for Mixing, Sizing, Molding, Trimming Process Only.

2. Specific Conditions under Water Act:

- (i) **The daily quantity of effluent discharge (KLD) :-**

	Last CTE/CCA	Present CCA (Fresh/ Renewal/ Reapplication/ Expansion/Amendment)
Trade Effluent	NIL	NIL
Sewage	1.0	1.0

- (ii) **Trade Effluent Treatment and disposal** -There should not be any trade effluent from the process.

(iii) **Sewage Treatment and Disposal:** In case the unit is in non-network area of CETP then the unit shall operate comprehensive Septic Tank as required with reference Indian Standards: IS2470 (Part-1) 1985 as amended from time to time.

(iv) In case the unit is in network area of CETP then the effluent should be pretreated to confirm the following norms as prescribed by Board before channelizing the effluent to CETP:-

Parameters	CETP Inlet Standard	Parameters	CETP Inlet Standard
pH	5.5 to 9.0	Lead (as Pb)	1.0mg/L
BOD	550mg/L	Nickel (as Ni)	3.0mg/L
COD	1100mg/L	Zinc (as Zn)	15.0mg/L
Total Dissolved Solids(TDS)	2100mg/L	Arsenic (as As)	0.2mg/L
Total Suspended Solids(TSS)	1500mg/L	Mercury (Hg)	0.01mg/L
Oil & Grease	20mg/L	Cadmium	1.0mg/L
Phenolic Compounds (as C ₆ H ₅ OH)	5.0mg/L	Selenium (as Se)	0.05mg/L
Ammonical Nitrogen (as N)	50.0mg/L	Fluoride (as F)	15.0mg/l
Cyanide (as CN)	2.0mg/L	Boron (as B)	2.0mg/L
Hexavalent Chromium (as Cr ⁺⁶)	2.0mg/L	Alpha Emitters, micro curie/mL	10 ⁻⁷
Total Chromium (as Cr)	2.0mg/L	Beta Emitters, micro curie/mL	10 ⁻⁴
Copper (as Cu)	3.0mg/L		

In case of stoppage of functioning of CETP, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard immediately. In such case unit has to make their own arrangement for effluent and sewage treatment. The unit shall shut down for such period until, necessary adequate arrangement for effluent treatment not made.

3. Conditions under Air Act :-

- (i) The applicant shall use following fuel and install a comprehensive control system consisting of control equipment as is required with reference to generation of emissions and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards :

S. No	Stack attached with	Stack height (Mt)	Type of Fuel	Fuel Quantity KLD/MTD	Emission Control Equipment	Emission standards not to exceed
1	125 KVA DG SET	3	HSD	--	Acoustic Enclosure With Stack	---

In case of stoppage of functioning of air pollution control equipment, production has to be stopped immediately and this Board has to be intimated by fax/phone/email with a report in this regard to be dispatched immediately

- (ii) Noise from the D.G. Set and other source(s) should be controlled by providing an acoustic enclosure as is required for meeting the ambient noise standards for night and day time as prescribed for respective areas/zones (Industrial, Commercial, Residential, Silence) which are as follows :-

Standards for Night Time in db(A) Leq	Industrial Area		Commercial Area		Residential Area		Silence Zone	
	Day time	Night time	Day time	Night time	Day time	Night time	Day time	Night time
	75	70	65	55	55	45	50	40

Day time : from 6.00 a.m. to 10.00 p.m., Night time: from 10.00 p.m. to 6.00 a.m

4. Conditions under Hazardous Wastes Rules :-

- (i) The **Factory Manager** of to **M/s Kamal Plastomet** located **Plot No-A-5, Eldeco, Sidcul, Industrial Park, Sitarganj, Distt-U.S.Nagar** is hereby granted an authorization to operate a facility for collection and storage of Hazardous wastes.
- (ii) The authorization is granted to operate a facility for generation, collection and storage of hazardous wastes within factory premises for following category of wastes.
- (iii) The authorization shall be in force for a period from up 31-03-2029
- (iv) The authorization is subject to the conditions stated below and the such conditions as may be specified in the rules for the time being in force under Environment (Protection) Act, 1986.

S.No.	Category (Schedule-I & Schedule-II)	Quantity of Waste for which authorization is being issued (MTA)	Mode of Disposal (Send For)
1	I-5.1	0.19 MT	Recyclable

Terms and conditions of authorization:

- (i) The authorization shall comply with the provisions of the **Environment (Protection) Act, 1986**, and the rules made there under.
 - (ii) The authorization and its renewal shall be produced for inspection at the request of an officer authorized by the SPCB/PCC.
 - (ii) The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes without obtaining prior permission of the SPCB/PCC.
 - (iv) Any unauthorized changes in personnel, equipment as working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
 - (v) It is the duty of the authorized person to take prior permission of the SPCB/PCC to close down the facility.
 - (vi) An application for the renewal of an authorization shall be made as laid down under these rules.
 - (vii) Any other conditions for compliance as per the Guidelines issued by the MoEF or CPCB.
 - (viii) The authorization is valid for temporary storage of Hazardous Waste within premises only.
- 5. Compulsory documents to be submitted by the Industry/Unit :**
- (i) Annual return in **Form-4** and **Waste Disposal Manifest in Form-10** under **HW Rules**.
 - (ii) Environment Statement in **Form-V** of **Environment (Protection) Rules, 1986**.
 - (iii) **Quarterly compliance report of the CCA, photograph of ETP/APCs/Waste Storage Area.**
6. Unit has to apply for renewal of CCA 60 days of expiry prior to expiry of this CCA.
7. **This CCA valid for Formulation Process only, under Orange category.**
8. Competent Authority reserves the right to change/modify/add any time any condition of this CCA.
9. Unit has to comply with the other general conditions as annexed herewith. Non compliance of any provision of this CCA and provisions of the **Water Act, Air Act and HW Rules** will results in legal action under the aforesaid Acts and Rules.


Regional Officer(I/c)

Copy to: **Member Secretary, Uttarakhand Pollution Control Board, for kind information and compliance of the same.**

Regional Officer(I/c)

Specific Conditions:

1. The applicant shall provide ISI mark water meter to each water supply.
2. The applicant shall submit audited balance sheet of the unit at the end of each financial year. In case of group balance sheet, CA Certificate followed by the consolidated balance sheet to be provided.
3. The applicant shall provide ports in the chimney/stack and facilities such as ladder, platform etc. as per requirement for monitoring the air emissions and the same shall be open for inspection and use at all times by the Board's staff. The chimney/stack attached to various sources of emission shall be designated by numbers such as S-1, S-2 etc. and these shall be painted/ displayed to facilitate identification.

4. The industry shall ensure interlocking of air pollution control devices and production processes.
5. The industry shall take adequate measures to control of noise from its own source so as to comply with the standards as may be applicable.
6. The applicant shall develop green belt in the premises.
7. The industry shall ensure **all safety measures** and shall undertake **periodical assessment** by the competent authority.
8. Unit shall ensure manifest system in **Form-10 of HW Rules** while disposing hazardous waste.
9. As per NGT Direction the units shall obtain NOC from CGWA (Central Ground Water Authority) within six Month.
10. The consent is valid for **Sun Drying, Milling Process** under **green** category.
11. The consent is Valid for Domestic effluent only, Industrial effluent should not generate.
12. if any change in products, process capacity, manpower, Category etc. unit must be obtained fresh CTE/CCA as per EP Act.
13. Unit must be submitted compliance report along with Current Balance sheet every year.

General Conditions:

1. The applicant shall get the sample of treated effluent/emissions/hazardous wastes/leach ate analyzed periodically from the laboratory recognized by the NABL /MoEF. Test report shall be communicated to the UEPPCB.
2. The applicant shall however, not without the prior consent of the **Board** bring into use any new or altered outlet for the discharge of effluent or gases emission or sewage waste from the unit.
3. The applicant shall provide discharge measurement equipment at final disposal point.
4. The applicant shall strictly comply with conditions of this CCA and submit compliance report of stipulated conditions within 30 days of receipt of this CCA. If, at any point of time, it is found that the industry is not complying with stipulated conditions or any further direction/instruction issued by the **Board**, legal action shall be initiated against the applicant.
5. The applicant shall maintain good housekeeping. All valves/pipes/sewer/drains etc. must be leak-proof.
6. The industry shall provide uninterrupted entry to the STP's/ETP's inlet and outlet points, Air Pollution Control equipment and stack for smooth sampling/monitoring of efficiency of pollution control measures.
7. Whenever due to any accident or other unforeseen act or event, such emission occurs or is apprehended to occur in excess of standards laid down, such information shall be reported to the Board's offices and all other concerned offices. In case of failure of pollution control equipment, the production process connected to it shall be stopped with immediate effect.
8. The industry shall operate in a manner so that all emissions be emitted through designated chimney/stack only.
9. In case of any damage to the agriculture productivity, human habitation etc. by the operation of industry, it shall be imperative to stop production in the industry with immediate effect and such information shall be reported to Board's offices. The industry shall be liable to pay compensation also in such cases as decided by the Competent Authority.
10. The **Board** reserves the right to revoke/add/modify any stipulated condition issued along with CCA, as may be necessary.
11. The authorized agency shall ensure that data with regard to quantity and nature of hazardous chemicals being used in the plant as well as air emission and waste generated within premises is displayed on **Display Board of size 6x4 feet** out side the main factory gate within premises.
12. It is duty of the authorized person to take prior permission of this Board to close and cleanup the facility for treatment, storage and disposal of hazardous waste.
13. The applicant shall maintain record of hazardous waste in **Form-3** and shall submit annual return in **Form-4** on or before the 30th day of June following to the financial year to which that return relates.

14. In case of any accident, complete details in the light of Form-11 of the Hazardous Rules shall be submitted to this Board at the earliest.
15. Before the hazardous waste is stored or dumped in the facility, applicant must conduct a detailed physical and chemical analysis of hazardous waste sample and report to the Board.
16. Dried hazardous sludge from the process in the plant shall be stored in double lined HDEP pit constructed with R.C.C. or such material which does not react with the waste contained in it.
17. The storage area should be fenced properly and Sign/Notice Board indicating 'Danger' and 'Hazardous' shall be displayed at appropriate position both in Hindi and English.
18. In case of any transportation of hazardous waste, the details in Form-9 of the Hazardous Rules shall be submitted to the Board.


Regional Officer (I/c)