

IDENTITY CARD



Name of Contractor	Shri Jullal Sikyheo
Name of Employee	Arhok Jullal
Date of Birth	14/06/1984
Gender	male
Valid from	24/11/2022
Valid up to	24/06/2023
Nature of Work	mentence Pipe Lin
Department	Maintenance

SEAL & SIGNATURE OF THE CONTRACTOR

TERMS & CONDITIONS

1. This ID card is not transferable.
2. This ID card must be carried by the holder while inside the plant and has to be produced on demand to the security personnel Authorized person.ssss
3. This is valid only for the work awarded to the contractor against a particular work order.
4. The contractor shall surrender the ID card to the issuing authority on cessation of Employment / Contract.
5. Every ID card holder must abide by safety norms and use appropriate PPE's while in Plant.
6. The ID card is valid subject to condition that the holder satisfies all the rule & regulations of the company.
7. Issues of duplicate ID card is chargeable.

(25)

(2)

Annexure - I
Endurance Technologies Ltd.
Contractor Worker Job Fitness Assessment


Sr. No.	Points	Details	Remarks
1	Name of the person	Ashok Jurala	
2	Age & Date of Birth	14/06/1984	
3	Education/Qualification	SSC	
4	Trade	PTI	
5	Date of Engagement		
6	Name of contractor	Skytech	
7	Previous work experience	25 years	
8	Type of machines Operated, if any	Yes	
9	Medical fitness for the job	Yes	
10	Name & mobile number of contact person to be contacted in case of emergency	-	
11	Safety Induction provided	Yes	

For Official Use Only

1	Comments of Reviewer	OK
2	Under observation (please mention period)	1 day.
3	Machine training to be provided	1 day short cut pipeline.
4	ESIC/ Medical Insurance & WC Nos.	
5	PPEs required and given	Safety shoes Handg. Body. back.


Sign of HR


Sign of HSE


Sign of User Dept. Head

SIT done on...



SHIKSHAN
P-02/3094, M.I.C. WALUJ

EOHS AWARENESS

खाली दिल्या प्रमाणे नियम व अटींचे आपण पालन करणे आवश्यक आहे.

१. कामावर रजू होतांना आपणास ठरवून दिलेला गणवेश व सुरक्षा पादचान (Safety Shoes) घालणे बंधनकारक आहे.
 २. कंपनी आचारात धुप्रपान व तंबाखू सेवनास बंदी आहे. तसेच मादक द्रव्य प्राधान करून घेण्यास मनाई आहे.
 ३. जर आपणास स्वतःचे वाहन कंपनी आचारात आणावयाचे असेल तर आपल्याकडे वाहन चालविण्याचा परवाना, हेलमेट, पि.सु.सी. प्रमाणपत्र आवश्यक आहे.
 ४. काही धोकादायक/आपत:कालीन परिस्थिती निर्माण झाल्यास सतत भोंगा (सायरन) वाजल्यास आपण त्वरीत काम करीत असलेली यंत्र (मशिन) बंद करावे व असंब्ली पॉईंटवर जमावे. (पाळी (शिफ्ट) घालू व संपल्यानंतर भोंगा (सायरन) एक वेळेस वाजता.)
 ५. समजा काही धोकादायक परिस्थिती किंवा आग लागल्यास आपल्या वरिष्ठांना झालेली घटना व घटनेचे ठिकाण यांची माहिती त्वरित देणे. गरज वाटल्यास असंब्ली पॉईंटवर जमावे.
 ६. जंर स्वतः किंवा दुसरे कोणीही अडचणीत असेल तर त्वरीत मदत करणे किंवा मदत बोलावणे.
 ७. आपत:कालीन मार्ग (Emergency Exit) व आपत:कालीन फोन नंबर (Emergency Phone No.) ची व्यवस्थित माहिती करून घेणे.
 ८. आपणास माहित नसलेले यंत्र किंवा इतर ठेवलेल्या वस्तूंना हात लावू नये. (उदा. केमीकल, मशिनचे स्विच)
 ९. आपण काम करीत असलेल्या ठिकाणावर वरिष्ठांनी ठरवून दिलेल्या वैयक्तिक सुरक्षा साधन (PPE) घा घापर करणे आवश्यक आहे.
 १०. ऑईलने खराब झालेले कॉटन, कचरा, बर, स्कॅप ठरवून दिलेल्या दिन किंवा ठिकाणीच टाकावे. इतरत्र टाकू नये.
 ११. सुरक्षित काम करण्या संबंधी वरिष्ठांनी दिलेल्या सूचनांचे पालन करावे.
 १२. कंपनीच्या आचारांमध्ये काहीही काम करावयाचे असल्यास (बाहेरच्या कॉन्ट्रॅक्टरसाठी) काम करण्याची परवानगी (वर्क परमीट) संबंधित विभागाकडून घेतल्याशिवाय काम चालू करू नये.
- वरील दिलेली माहिती व सूचना आपल्या सुरक्षेसाठी आहेत. त्यांचे पालन करून सहकार्य करावे.
- धन्यवाद !

(Assembly Point - असंब्ली पॉईंट)



१) मेन गेट जवळ

प्रशिक्षण घेणाऱ्याचे नांव व सही :

Ashok Jaisale

प्रशिक्षण देणाऱ्याचे नांव व सही :

D H Dande

दिनांक : 24/11/22

वेळ : 11/30 Am

SIT done on...../...../.....



ENDURANCE
Complete Solutions

MEDICAL FITNESS CERTIFICATE

Date: 24/11/22

To Whom It May Concern
This is certify that Ashok Jarde. of E92/ Mainbar

Was examined at OHC at Endurance Technologies Limited, L6/3 Plant, MIDC Waluj
, Aurangabad. On 24/11/22 at 11:30 am

Above mention person medically fit and not having any medical disease and covid -

19 symptoms. SpO2 99
P.R. 99
Temp. 94.
B.P. 138/84.

cold.
cough. } N/A
Fever. }

Ashok Jarde.
Factory Medical officer
AMIT KOTHARI
MIDHC - AFIN
Reg. No. 21 2804
Endurance Technologies Limited,
L6/3 MIDC Waluj Aurangabad

ATAXIA [HEIGHT PHOBIA TEST]

DECLARATION

Contract: SKYtech Age: 38 Sex: M
Name of Supervisor: Bapu Gehla

Practical Questionnaires:

1. Have you work before this on height? Yes / No
2. What was your maximum height work experience? <10 M / >10 M
3. Do you have any addiction? If yes then mention? Yes / No
4. Do you have any nausea or vomiting feeling while working on height? Yes / No
5. Do you have VERTIGO while working on height? Yes / No
6. Do you feel any breathing problem while working on height? Yes / No
7. Are you having any past history of acute illness?
If Yes please mention _____ Yes / No
8. Are you having any past history of chronic illness?
If Yes please mention _____ Yes / No
9. Are you under any medicinal course?
If Yes please mention _____ Yes / No
10. Have you any history of accidental fall while working on height Yes / No

Practical Observations

> RHOMBERG TEST

Exercise: Ask person to stand with his feet closing approximated position. First ask to stand with open eyes and then with closed eyes.

Observations: If you observed unsteadiness in the position of person then the Rhomberg Test is positive.

TANDEM WALKING

Exercise: First draw a straight line on floor, then ask person to walk on straight line by placing one heel directly in front of opposite toes with eyes open and closed.


Observations: If you observe sways or staggers then Tandem Walking Test is positive.


> FINGER NOSE TEST

Exercise: In this Test ask person to extend and abduct the arms completely and then touch the index finger tip to the tip of his nose. First slowly and then capacity.

Observations: If more irregularities are observed as finger approaches the nose or person may stop before he touches the tip of nose then finger nose test is positive.


Sign of Worker


Sign of Supervisor


Sign of Examiner

DR. AMIT KOTHARI
MBBS, DCH, AFPH
Reg No: 2001111111