

DoNaVali Occupational Health Care

Dr Nishant Dodiya
MBBS, AFIH
Reg No. G 20470

Grand Floor, Shidhraj complex
Nr Raghuvanshi Weighbridge, Sanand GIDC Gate I
Bol Village, Tal - Sanand, Dist Ahmedabad
Contact No. : 8140210444, 8401813326

MEDICAL EXAMINATION DETAILED MEDICAL HISTORY AND EXAMINATION

NAME OF INDUSTRY: TEREX India Pvt Ltd CHECK UP DATE: 09/04/24

NAME OF EMP: ABHISEKH SHARMA DESIGNATION: welder

ADDRESS: Bol village BLOOD GROUP: A +ve

Age in yrs: 27 Sex: M F HEIGHT (Cms): 160 WEIGHT (Kg): 54 PULSE/Min: 86 BP: 125/78 mm of Hg

	Normal	Abnormal	Remark
General and Systemic Examination:	✓		
Near, Distant Vision :	✓		6/6 6/6 N/6 N/6
Limbs and Trunk :	✓		
Systemic Examination :	✓		

Random Blood Sugar (For 40yrs and more): — Mg/100 ml Normal : 70 to 140 mg/100ml

GENERAL FITNESS STATUS: FIT UNFIT

SPECIAL EXAMINATION FOR DRIVERS AND OPERATORS

	Acceptable	
	Yes	No
Eye lids and Eye ball function	Yes	No
Field of Vision	Yes	No
Upper Limb: Arm, Forearm and Hand function & Grip (Both side)	Yes	No
Lower Limb: Leg & Foot function (Both side)	Yes	No
Spine: Flexible for concerned job	Yes	No
General mental alertness and stability with good eye, hand & foot co-ordination	Yes	No

FITNESS STATUS FOR DRIVER / OPERATOR JOB: FIT UNFIT

SPECIAL EXAMINATION FOR HEIGHT WORK

Do you have vision problem at night or when in a dark room ?	Yes	NO
Is there any H/O Syncope/ Fainting/ Fit / Convulsion, Giddiness/ Vertigo?	Yes	NO
Did you ever feel Giddiness, Ghabharaman, Chest pain, Perspiration at height ?	Yes	NO

Vertigo Test :	Negative	Positive
Roll Test :	Negative	Positive
Nystagmus Test :	Negative	Positive
Co - Ordination Test :	Negative	Positive
Self-Balance Test:	Pass	Fail

FITNESS STATUS FOR HEIGHT WORK JOB: FIT UNFIT

Dr Signature and Seal

Dr. Nishant N. Dodiya
MBBS, AFIH
Reg. No. G-20470
M.S. : 8401813326

NOTE : CONFIDENTIAL REPORT, NOT FOR LEGAL IMPLICATION & PURPOSE. ONLY FOR COMPANY USE

DoNaVali Occupational Health Care

Dr Nishant Dodiya
MBBS, AFIH
Reg No. G 20470

Grand Floor, Shidhraj complex
Nr Raghuvanshi Weighbridge, Sanand GIDC Gate I
Bol Village, Tal - Sanand, Dist Ahmedabad
Contact No. : 8140210444, 8401813326

MEDICAL EXAMINATION

DETAILED MEDICAL HISTORY AND EXAMINATION

NAME OF INDUSTRY: TEREX India Pvt Ltd CHECK UP DATE: 16/04/24
NAME OF EMP: CHANDAN KUMAR DESIGNATION: welder
ADDRESS: Bol village BLOOD GROUP: AB +ve
Age in yrs: 27 Sex: M F HEIGHT (Cms): 158 WEIGHT (Kg): 52 PULSE/Min: 86 BP: 125/78 mm of Hg

	Normal	Abnormal	Remark
General and Systemic Examination:	<u>L</u>		
Near, Distant Vision :	<u>L</u>		<u>6/c 6/c N/c N/c</u>
Limbs and Trunk :	<u>L</u>		
Systemic Examination :	<u>L</u>		

Random Blood Sugar (For 40yrs and more) : — Mg /100 ml Normal : 70 to 140 mg /100ml

GENERAL FITNESS STATUS: FIT UNFIT

SPECIAL EXAMINATION FOR DRIVERS AND OPERATORS

	Acceptable	
	Yes	No
Eye lids and Eye ball function	<u>/</u>	<u>/</u>
Field of Vision	<u>/</u>	<u>/</u>
Upper Limb: Arm, Forearm and Hand function & Grip (Both side)	<u>/</u>	<u>/</u>
Lower Limb: Leg & Foot function (Both side)	<u>/</u>	<u>/</u>
Spine: Flexible for concerned Job	<u>/</u>	<u>/</u>
General mental alertness and stability with good eye, hand & foot co-ordination	<u>/</u>	<u>/</u>

FITNESS STATUS FOR DRIVER / OPERATOR JOB: FIT UNFIT

SPECIAL EXAMINATION FOR HEIGHT WORK

Do you have vision problem at night or when in a dark room ?	<u>/</u>	<u>NO</u>
Is there any H/O Syncope/ Fainting/ Fit / Convulsion, Giddiness/ Vertigo?	<u>/</u>	<u>NO</u>
Did you ever feel Giddiness, Ghabnaraman, Chest pain, Perspiration at height ?	<u>/</u>	<u>NO</u>

Vertigo Test :

Roll Test :	<u>/</u>	<u>Negative</u>	<u>Positive</u>
Nystagmus Test :	<u>/</u>	<u>Negative</u>	<u>Positive</u>
Co - Ordination Test :	<u>/</u>	<u>Negative</u>	<u>Positive</u>
Self-Balance Test:	<u>/</u>	<u>Pass</u>	<u>Fail</u>

FITNESS STATUS FOR HEIGHT WORK JOB: FIT UNFIT

Dr Signature and Seal

Dr. Nishant N. Dodiya
MBBS, AFIH
Reg. No. G-20470
Ph: 8401813326

NOTE : CONFIDENTIAL REPORT, NOT FOR LEGAL IMPLICATION & PURPOSE. ONLY FOR COMPANY USE

DoNaVali Occupational Health Care

Dr Nishant Dodiya
MBBS, AFIH
Reg No. G 20470

Grand Floor, Shidhraj complex
Nr Raghuvanshi Weighbridge, Sanand GIDC Gate I
Bol Village, Tal - Sanad, Dist Ahmedabad
Contact No. : 8140210444, 8401813326

MEDICAL EXAMINATION DETAILED MEDICAL HISTORY AND EXAMINATION

NAME OF INDUSTRY:

TEREX India Pvt Ltd

CHECK UP DATE:

20/04/24

NAME OF EMP:

SHAWI DEVAL VISHWAKARMA

DESIGNATION:

ADDRESS:

Bol village

BLOOD GROUP:

Age in yrs:

21

Sex:

M F

HEIGHT (Cms):

156

WEIGHT (Kg)

57

PULSE/Min:

86

BP: mm of Hg

125/78

	Normal	Abnormal	Remark
General and Systemic Examination:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Near, Distant Vision :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6/C 6/E N/6 N/6
Limbs and Trunk :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Systemic Examination :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Random Blood Sugar (For 40yrs and more) : Mg /100 ml Normal : 70 to 140 mg /100ml

GENERAL FITNESS STATUS:

FIT

UNFIT

SPECIAL EXAMINATION FOR DRIVERS AND OPERATORS

	Acceptable	
	Yes	No
Eye lids and Eye ball function	Yes	No
Field of Vision	Yes	No
Upper Limb: Arm, Forearm and Hand function & Grip (Both side)	Yes	No
Lower Limb: Leg & Foot function (Both side)	Yes	No
Spine: Flexible for concerned Job	Yes	No
General mental alertness and stability with good eye, hand & foot co-ordination	Yes	No

FITNESS STATUS FOR DRIVER / OPERATOR JOB :

FIT

UNFIT

SPECIAL EXAMINATION FOR HEIGHT WORK

Do you have vision problem at night or when in a dark room ?	Yes	NO
Is there any H/O Syncope/ Fainting/ Fit / Convulsion, Giddiness/ Vertigo?	Yes	NO
Did you ever feel Giddiness, Ghabnaraman, Chest pain, Perspiration at height ?	Yes	NO

Vertigo Test :

Roll Test :	Negative	Positive
Nystagmus Test :	Negative	Positive
Co - Ordination Test :	Negative	Positive
Self-Balance Test:	Pass	Fail

FITNESS STATUS FOR HEIGHT WORK JOB :

FIT

UNFIT

Dr Signature and Seal

Dr. Nishant N. Dodiya
MBBS, AFIH
Reg. No. G-20470
(P) : 8401813326

NOTE : CONFIDENTIAL REPORT, NOT FOR LEGAL IMPLICATION & PURPOSE. ONLY FOR COMPANY USE

DoNaVali Occupational Health Care

Dr Nishant Dodiya
MBBS, AFIH
Reg No. G 20470

Grand Floor, Shidhraj complex
Nr Raghuvanshi Weighbridge, Sanand GIDC Gate 1
Bol Village, Tal - Sanand, Dist Ahmedabad
Contact No. : 8140710444, 8401813326

MEDICAL EXAMINATION DETAILED MEDICAL HISTORY AND EXAMINATION

NAME OF INDUSTRY: TEREX India Pvt Ltd CHECK UP DATE: 20/04/24
 NAME OF EMP: SANIL VISHWAKARMA DESIGNATION: S. WORKER
 ADDRESS: Bol village BLOOD GROUP: -
 Age in yrs: 18 Sex: M F HEIGHT (Cms): 157 WEIGHT (Kg) 56 PULSE/Min: 88 BP: 125/78 mm of Hg

	Normal	Abnormal	Remark
General and Systemic Examination:	<u>L</u>		
Near, Distant Vision :	<u>L</u>		<u>6/c 6/e N/6 N/6</u>
Limbs and Trunk :	<u>L</u>		
Systemic Examination :	<u>L</u>		

Random Blood Sugar (For 40yrs and more) : - Mg /100 ml Normal : 70 to 140 mg /100ml

GENERAL FITNESS STATUS: **FIT** **UNFIT**

SPECIAL EXAMINATION FOR DRIVERS AND OPERATORS

	Acceptable	
	Yes	No
Eye lids and Eye ball function	Yes	No
Field of Vision	Yes	No
Upper Limb: Arm, Forearm and Hand function & Grip (Both side)	Yes	No
Lower Limb: Leg & Foot function (Both side)	Yes	No
Spine: Flexible for concerned job	Yes	No
General mental alertness and stability with good eye, hand & foot co-ordination	Yes	No

FITNESS STATUS FOR DRIVER / OPERATOR JOB: **FIT** **UNFIT**

SPECIAL EXAMINATION FOR HEIGHT WORK

Do you have vision problem at night or when in a dark room ?	Yes	<u>NO</u>
Is there any H/O Syncope/ Fainting/ Fit / Convulsion, Giddiness/ Vertigo?	Yes	<u>NO</u>
Did you ever feel Giddiness, Ghabnaraman, Chest pain, Perspiration at height ?	Yes	<u>NO</u>

Vertigo Test :

Roll Test :	Negative	Positive
Nystagmus Test :	Negative	Positive
Co - Ordination Test :	Negative	Positive
Self-Balance Test:	Pass	Fail

FITNESS STATUS FOR HEIGHT WORK JOB: **FIT** **UNFIT**

Dr Signature and Seal

Dr. Nishant N. Dodiya
MBBS, AFIH
Reg. No. G 20470
Ph : 8401813326

NOTE : CONFIDENTIAL REPORT. NOT FOR LEGAL IMPLICATION & PURPOSE. ONLY FOR COMPANY USE

DoNaVali Occupational Health Care

Dr Nishant Dodiya
MBBS, AFIH
Reg No. G 20470

Grond Floor, Shidhraj complex
Nr Raghuvanshi Weighbridge, Sanand GIDC Gate I
Bol Village, Tal - Sanad, Dist Ahmedabad
Contact No. : 8140210444, 8401813326

MEDICAL EXAMINATION DETAILED MEDICAL HISTORY AND EXAMINATION

NAME OF INDUSTRY:

TEREX India Pvt Ltd

CHECK UP DATE:

03/04/24

NAME OF EMP:

Deepak Kumar

DESIGNATION:

Welder

ADDRESS:

Bol village

BLOOD GROUP:

AB+

Age in yrs:

27

Sex:

M F

HEIGHT (Cms):

160

WEIGHT (Kg)

54

PULSE/Min:

86

BP:

mm of Hg

125/78

	Normal	Abnormal	Remark
General and Systemic Examination:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Near, Distant Vision :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	6/6 6/6 N/6 N/6
Limbs and Trunk :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
Systemic Examination :	<input checked="" type="checkbox"/>	<input type="checkbox"/>	

Random Blood Sugar (For 40yrs and more) : Mg/100 ml Normal : 70 to 140 mg/100ml

GENERAL FITNESS STATUS: FIT UNFIT

SPECIAL EXAMINATION FOR DRIVERS AND OPERATORS

	Acceptable	
	Yes	No
Eye lids and Eye ball function	Yes	No
Field of Vision	Yes	No
Upper Limb: Arm, Forearm and Hand function & Grip (Both side)	Yes	No
Lower Limb: Leg & Foot function (Both side)	Yes	No
Spine: Flexible for concerned job	Yes	No
General mental alertness and stability with good eye, hand & foot co-ordination	Yes	No

FITNESS STATUS FOR DRIVER / OPERATOR JOB: FIT UNFIT

SPECIAL EXAMINATION FOR HEIGHT WORK

Do you have vision problem at night or when in a dark room?	Yes	NO
Is there any H/O Syncope/ Fainting/ Fit / Convulsion, Giddiness/ Vertigo?	Yes	NO
Did you ever feel Giddiness, Ghabnaraman, Chest pain, Perspiration at height?	Yes	NO

Vertigo Test:

Roll Test:	Negative	Positive
Nystagmus Test:	Negative	Positive
Co - Ordination Test:	Negative	Positive
Self-Balance Test:	Pass	Fail

FITNESS STATUS FOR HEIGHT WORK JOB: FIT UNFIT

Dr Signature and Seal

Dr. Nishant N. Dodiya
MBBS, AFIH

Reg. No. G-20470

MOB : 8401813326

NOTE: CONFIDENTIAL REPORT. NOT FOR LEGAL IMPLICATION & PURPOSE. ONLY FOR COMPANY USE.

DoNaVali Occupational Health Care

Dr Nishant Dodiya
MBBS, AFIH
Reg No. G 20470

Grond Floor, Shidhraj complex
Nr Raghuvanshi Weighbridge, Sanand GIDC Gate I
Bol Village, Tal - Sanad, Dist Ahmedabad
Contact No. : 8140210444, 8401813326

MEDICAL EXAMINATION DETAILED MEDICAL HISTORY AND EXAMINATION

NAME OF INDUSTRY: TEREX India Pvt Ltd CHECK UP DATE: 03/04/24
NAME OF EMP: Lakshmi Chandel DESIGNATION: fitter
ADDRESS: Bol village BLOOD GROUP: O +ve
Age in yrs: 23 Sex: M F HEIGHT (Cms): 165 WEIGHT (Kg) 46 PULSE/Min: 89 BP: 114/80 mm of Hg

	Normal	Abnormal	Remark
General and Systemic Examination:	<u>2</u>		
Near, Distant Vision :	<u>2</u>		
Limbs and Trunk :	<u>2</u>		<u>6/6 6/6 N/G N/G</u>
Systemic Examination :	<u>2</u>		

Random Blood Sugar (For 40yrs and more): — Mg/100 ml Normal : 70 to 140 mg/100ml

GENERAL FITNESS STATUS: FIT UNFIT

SPECIAL EXAMINATION FOR DRIVERS AND OPERATORS

	Acceptable	
	Yes	No
Eye lids and Eye ball function		
Field of Vision		
Upper Limb: Arm, Forearm and Hand function & Grip (Both side)		
Lower Limb: Leg & Foot function (Both side)		
Spine: Flexible for concerned Job		
General mental alertness and stability with good eye, hand & foot co-ordination		

FITNESS STATUS FOR DRIVER / OPEARATOR JOB: FIT UNFIT

SPECIAL EXAMINATION FOR HEIGHT WORK

Do you have vision problem at night or when in a dark room ?	Yes	<u>NO</u>
Is there any H/O Syncope/ Fainting/ Fit / Convulsion, Giddiness/ Vertigo?	Yes	<u>NO</u>
Did you ever feel Giddiness, Ghalbaraman, Chest pain, Perspiration at height ?	Yes	<u>NO</u>

Vertigo Test :

Roll Test :	Negative	Positive
Nystagmus Test :	Negative	Positive
Co - Ordination Test :	Negative	Positive
Self-Balance Test:	Pass	Fail

FITNESS STATUS FOR HEIGHT WORK JOB: FIT UNFIT

Dr Signature and Seal

Dr. Nishant N. Dodiya
MBBS, AFIH
Reg. No. G-20470
(M) 8140210444

NOTE : CONFIDENTIAL REPORT, NOT FOR LEGAL IMPLICATION & PURPOSE. ONLY FOR COMPANY USE