



Directorate Industrial Safety & Health

Directorate Industrial Safety & Health

FORM NO. 4
(Prescribed under Rules 5)

License to work a factory
(Prescribed under Rule 5)

Registration No. 4395/39000/2021
FIN. B05044523A

License No. 44523
D.A. 02-Apr-2021

License to work a factory

License is hereby granted to

Mr. DENISH MANOJKUMAR BHALODIA

For the premises known as

GEO CLEANER LLP

situated at

SURVEY NO.- 94 P.O:PRATAPNAGAR SAVLI- JAROD ROAD SAVLI VADODARA-391121

Ta.: Savli Dist.: Vadodara

for use as a factory within the limits specified in the plan approved by the

Director Industrial Safety & Health, Gujarat State

vide No. 1097 Date 28-Apr-2021 subject to provisions of the

Factories Act, 1948 and the Rules made thereunder.

The license is issued for:

- Maximum Number of workers to be employed on any day during the Year : ** 100 **
- Maximum installed power in B.H.P. on any day during the year : ** 250 **

The license is valid up to 31st December 2025,

Fees paid Rs. 21,000.00

Fees due Rs. 21,000.00

Excess Rs. 0.00

Place : Ahmedabad

Date : 02-Jul-2021



Signature valid

Digitally signed by SHAH PRATIK
MAHESHCHANDRA
Date: 2021.07.02 11:48:49 +05:30
Reason: Approval
Location: Ahmedabad

Director
Industrial Safety and Health
Gujarat State

006153

FORM No. 2
(Prescribed under Rule 4)

Application for registration and grant or Amendment of license and notice of occupation. (To be submitted in triplicate)

1. Application details: Date - 27/5/2021, Year / No. - 2021 / 57

- a. Registration, grant of licence and notice of occupation 24
- b. Amendment of Licence Yes

2. Applicant's Name

DENISH MANOJKUMAR BHALODIA

b. (i) Whether factory already registered

(ii) If yes, Registration No.

(iii) License No.

3. Full name and postal address of the factory:

a. Name of the factory:

GEO CLEANER LLP

b. Address:

SURVEY NO.- 94, P.O:PRATAPNAGAR, SAVLI- JAROD ROAD, SAVLI, VADODARA-391121 ,Savli,Vadodara - 391121

4. Please indicate following details also

a. Nearest Police station - distance (in KM) 2

b. Nearest Railway Station - distance (in KM) 8

c. Nearest Public Hospital - distance (in KM) 7

5. Full name and residential address of the Person who shall be the Manager of the Factory for the purpose of the Act.

MALKAN MADHAV DINESHKUMAR
TALALA GIR, GOPI CINEMA VISTAR, TALALA, JUNAGADH,
GUJARAT 362150 ,Junagadh,Junagadh, -

6. Full name and residential address of the occupier and his designation

1 Mr DENISH MANOJKUMAR BHALODIA
BLOCK NO. F-47, TOSAL, RAVIRATNA PARK, UNIVERSITY ROAD, RAJKOT- 360005, , , Rajkot , Rajkot ,
Rajkot - 360,005

7. Full name and address of the owner of the Premises or building (including the percents Thereof) referred to in section-93

1 Mr DENISH MANOJKUMAR BHALODIA
BLOCK NO. F-47, TOSAL, RAVIRATNA PARK,
UNIVERSITY ROAD, RAJKOT- 360005, , , Rajkot, Rajkot,
Rajkot - 360,005

8. Please furnish reference number(s) and date(s) of approval(s) of the plans site and building and for disposal of trade waste and trade waste and effluents by the concerned Authorities.

Authority

Details

i.State Govt

ii.Local Authority

iii.Chief inspector of Factory

v.Other concerned authority (specify)

1097

iv.Pollution Control Board

9. Name of Manufacture Processes to be carried out in the factory	Process Type MANUFACTURING	Process Name Waste Mix Liquid & Waste Mix Solid/ Semisolid
10. Name and quantities of raw materials used, intermediate products and principal finished products during the last twelve months (in case of factories already in existence.)	Type Finish product	Name WASTE MIX LIQUID & WASTE MIX SOLID/SEMISOLID
	Unit Code T	Quantity 1,102.00
11. Number of workers employed in the factory -	Employed In the last months	Proposed to be next 12 months
a. Maximum number	100	100
b. Number ordinarily employed	100	100
12. Nature and total amount of power	a. Installed	b. Proposed to be installed
	250	250
13. Fees paid (Details)	Rs <u>21000</u>	in figures
	rupees twenty one thousand only	in words
	Transaction No	1729177
	Transaction Date	5/27/2021 12:00:00AM
Sign & stamp of Manager	Sign & stamp of the Occupier	
Date:	Date:	
Notes:-	<ol style="list-style-type: none"> 1. This form should be completed in ink in block letters or typed. 2. Strike off whichever is not applicable. 3. If power is not used at the time of filling up this form, but introduced later, the fact should be communicated to the Chief Inspector of Factories immediately. 4. The term 'Ordinarily employed' would mean the total number of workers working in all the shifts which shall be over 50% of the working days in the factory. 5. You have to submit application with required document within 7 working days from today. If you Fail in doing so then DISH office will not process this application further. 	

0. A)

FORM NO. 3

**Application for Renewal of Licence
(Prescribed under Rule 4 and 7)**

Application details: Date - 27/5/2021, Year / No. - 2021 / 57

Registration number : NIC code number :

Licence number :

(As given in the licence)

1. Full name of the factory GEO CLEANER LLP

2. Address SURVEY NO.- 94, P.O:PRATAPNAGAR, SAVLI- JAROD ROAD, SAVLI,
VADODARA-391121 ,Savli,Vadodara - 391121

3. Full address to which communication shall be carried (where the factory address servers the purpose of communication also this information need not be given)

SURVEY NO.- 94, P.O:PRATAPNAGAR, SAVLI- JAROD ROAD, SAVLI, VADODARA-391121
,Savli,Vadodara - 391121

4. A flow chart of the manufacturing process supplemented by a brief description of the process in its various stages, list of the raw materials used, intermediate products including mission of toxic, gases etc, finished products their quantities, methods of storage and handling, loading and transport and details of the arrangement for the disposal of trade waste and effluents, control or eliminate them (to be enclosed).

5. Maximum number of workers to be employed on any day during the year : 100

6. Installed power in horse power : 250

7. The period (not exceeding two years) for which licence or renewal of license is applied for : 5 years

8. Amount of fees (Rs. 21,000) paid vide treasury Transaction on date 5/27/2021 12:00:00AM Transaction No.1729177 or by book adjustment vide Order No.....

9. Name and residential address of occupier :

DENISH MANOJKUMAR BHALODIA
BLOCK NO. F-47, TOSAL, RAVIRATNA PARK,
UNIVERSITY ROAD, RAJKOT- 360005, ,Rajkot,Rajkot
- 360,005

10. Name and residential address of manager :

MALKAN MADHAV DINESHKUMAR
TALALA GIR, GOPI CINEMA VISTAR, TALALA,
JUNAGADH, GUJARAT 362150
,Junagadh,Junagadh, -

Sign & Stamp of Occupier

Sign & Stamp of Manager

Note: You have to submit application with required document within 7 working days from today. If you Fail in doing so then DISH office will not process this application further.



GEO CLEANER LLP

E-mail : geocleaner9299@gmail.com

Tower H-402, Aaruni Residency, Village - Bill, Taluka : Vadodara, Vadodara , Gujarat, India - 391410

સંયુક્ત નિયામકશ્રી
ઔદ્યોગિક સલામતી અને સ્વાસ્થ ની કચેરી,
૭ મો માળ, આઇ બ્લોક, કુબેર ભવન ,
કોઠી કચેરી કંપાઉન્ડ,
વડોદરા.

વિષય: સ્ટેબીલીટી સર્ટીફિકેટ જમા કરાવવા બાબત.

માનનીય સાહેબ શ્રી,

ઉપરોક્ત વિષય ના અનુસંધાનમાં આપશ્રી ને જણાવવાનું કે અમો અમારા કારખાના ની સ્ટેબીલીટી સર્ટીફિકેટ આપશ્રી ની કચેરી માં જમા કરાવીએ છીએ. આ પત્ર સાથે અમારી સ્ટેબીલીટી સર્ટીફિકેટ જમા લેવા આપ શ્રી ને નમ્ર વિનંતી.

આભાર સહ,

લિ. આપનો વિશ્વાસુ,

Krunal

વતી, GEO CLEANER LLP

Office of the Joint Director
Industrial Safety and Health
Vadodara Region, Vadodra

P. 13/5/21

Form No. : 1 A
(Prescribed Under Rule - 3C)

CERTIFICATE OF STABILITY


Certificate No. : GCL/1

Date : 06/05/2021

1. Name of the factory : GEO CLEANER LLP
2. Villlage, town and district in which the factory is situated. : Survey no- 94, P.O: Pratapnagar, Savli-Jaroad Road,Savli,Vadodara,Gujarat. 391121
3. Full postal address of the factory : Survey no- 94, P.O: Pratapnagar, Savli-Jaroad Road,Savli,Vadodara,Gujarat. 391121
4. Name of the Occupier of the factory : MR. DENISH BHALODIA
5. Nature of manufacturing process to be carried on in the factory : Waste Mix Liquid & Waste Mix Solid / Semisolid
6. Number of floors on which workers will be employed. : Ground Floor

I certify that, I have inspected the premises, the plans of which have been approved by the Chief Inspector by his Letter No.: **DISH/ F-PLAN/1097 Dt: 28/04/2021** and examined the various parts including the foundations with special reference to the machinery, plant etc. that have been installed. I am of the opinion that all the works of engineering construction in the permises is/are structurally sound & that its/their stability will not be Endangered by its/their use as a factory/part of a factory for the **Waste Mix Liquid & Waste Mix Solid / Semisolid** for which the machinery plant etc. installed are intended.

Signature



YOGESH M. PATEL
Competent Person
B.E. (Civil)

Number & Date of the : GUJ/DISH/CPT/A/0400/2014
Competency Certificate : Certificate Dt. 29/06/2020
Issued By : Director, Industrial Safety & Health, Gujarat State, Ahmedabad.

NEXT DUE ON :05/05/2026

INSTRUCTIONS APPENDED FOR STABILITY CERTIFICATE

1. As per rule 3-C of factories act, fresh "Certificate of Stability" in from 1-A shall be obtained once in each period of five years, or after every extension, alteration, repairs or addition of machinery, plants or building / structure etc.
2. This certificate is valid for approved premises (plant and machinery) only, and also valid for office of the Industrial Safety & Health.
3. The structure shall be maintained in good working condition, shall be regularly inspected and any hair crack, bending, tilting, leaning or any eventual appearance in the structural fabrication shall be immediately informed to the respective authority for right assessment, decision and suggestion for maintenance of safe structure.
4. Any spillage, Gas leakage, Exposures or any abnormal impact or other side effect shall be reported to respective authority for result, deviation & for the stability.
5. Water deposition at plinth level or floor level nearby two R.C.C. or steel column shall be avoided.
6. All structural members shall be protected from acidic material and salinity. Arrangement of acidic effluent drainage shall be maintained properly.
7. Existing condition of machinery, load and vibration shall be maintained. Any excess or increase shall be informed to respective authority for verification, assessment & decision.
8. Steel structure i.e. columns, Beams, Purlines, M.S. Plates, M.S. Staircase, Railing and M.S. Trusses should be maintained against the corrosion without fail.
9. Any part of construction which has not been approved in plan has no comment.
10. Any structure approved in plan but not constructed till day of inspection has no comment.
11. Any recommendation for rectification mentioned should be done & informed s soon as possible.

Signature



YOGESH M. PATEL
Competent Person
B.E. (Civil)

ક્રમાંક/ડીઆઈએસએચ/એફ-નકશા/ ૨૦૨૧ / ૧૦૯
ડાયરેક્ટર ઇન્ડસ્ટ્રીયલ સેફ્ટી એન્ડ હેલ્થની કચેરી
શ્રમ ભવન ત્રીજો માળ ગન હાઉસની બાજુમાં
રૂસ્તમકામા માર્ગ ખાનપુર અમદાવાદ-૦૧
તા ૨૮/૪/ ૨૦૨૧

પ્રતિ,

કબ્જેદારશ્રી,

GEO CLEANER LLP

Sr NO-94, P.O. PRATAPNAGAR, SAVLI-JAROD ROAD, SAVLI DIST-VADODARA

વિષય:- સને ૧૯૪૮ના કારખાનાના અધિનિયમ અન્વયેના નકશા મંજૂર કરવા બાબત (નવા નકશા)

મહાશય,

ઉપરોક્ત વિષયના સંદર્ભમાં આપના કારખાનાના નકશાની નકલ-નકલો નીચેની શરતોને આધિન રહીને મંજૂર કરી પરત કરવામાં આવે છે.

- (૧) મકાન કે વિસ્તૃતિકરણનો કારખાના તરીકે ઉપયોગ કરતા પહેલા મંજૂર થયેલ નકશામાં બતાવેલ કારખાનાનું વિસ્તૃતિકરણનું બાંધકામ, પ્લાન્ટ તથા મશીનરી અંગે સ્ટ્રક્ચરલ એન્જીનીયરીંગનું કારખાનાની મજબુતાઇ ચકાસ્યા અંગેનું સ્ટેબિલીટી સર્ટીફિકેટ ગુજરાત કારખાનાના નિયમ-૧૯૬૩ના નિયમ-૩(ગ) હેઠળ નકકી કરેલ નમૂના-૧(એ)માં આપવું. સાથે બાંધકામની સ્ટ્રક્ચરલ ડીટેઇલ, ડીઝાઇન અને ડ્રોઇંગ રજુ કરવું. ઉપરાંત કારખાનાનું મકાન તેના ફ્લોર સહિત એક ચોરસમીટર ક્ષેત્રફળમાં કેટલું વજન સહન કરી શકશે અને તેની સામે મુકવા ધારેલ વજન એક ચો.મી.માં કેટલું છે. ત્યાં કઇ રીતે બાંધકામ સલામત છે. તેની ગણતરી સહિતની વિગત સ્ટેબિલીટી સર્ટીફિકેટ સાથે રજુ કરવી. ઉપરાંત બાંધકામની તાકાત લેબોરેટરી ટેસ્ટ કરાવીને તેના પરિણામ સાથે ગણતરીને સરખાવીને રજુ કરી તે અંગેની જાણ ડાયરેક્ટર ઓફ ઇન્ડસ્ટ્રીયલ સેફ્ટી એન્ડ હેલ્થશ્રીની (કારખાનાના મુખ્ય નિરીક્ષકશ્રી) સ્વિકૃતિ મેળવવી.
- (૨) નવું તથા વધારાનું બાંધકામ કરતા અગાઉ સ્થાનિક સત્તાવાળા જેવા કે નગરપાલિકા/નગરપંચાયત/જિલ્લા પંચાયત/ગ્રામ પંચાયત/જાહેર બાંધકામ ખાતું/જી.આઇ.ડી.સી વિગેરેની પાસેથી મંજૂરી મેળવી લેવાની રહેશે.
- (૩) તમારા કારખાનામાંથી નીકળતા વ્યવસાયિક બગાડ જેવા કે, ગંદ પાણી, ધુમાડો, ધૂળ કે ગેસ વિગેરેના નિકાલ અંગેની જળ વાયુ પ્રદૂષણ પાસેથી મંજૂરી મેળવવી.
- (૪) કારખાના માટે નવું બાંધકામ હોય તો BOCW CESS ACT ની જોગવાઇ મુજબ બાંધકામની કુલ કિંમતના ૧ ટકા લેખે સેસની રકમ સેસ કલેક્ટર સમક્ષ જમા કરાવવાની રહેશે.
- (૫) સક્ષમ અધિકારી દ્વારા મંજૂર કરેલ પ્લાન પ્રમાણે બાંધકામ કરવાનું રહેશે. તથા કારખાનામાં બતાવેલ ખુલ્લી રાખવાપાત્ર જગ્યાને ખુલ્લી જ રાખવાની રહેશે.
- (૬) નકશા મંજૂર થયાના ત્રણ માસમાં માન્ય ઇલેક્ટ્રિકલ ફાયર કન્ટેનમેન્ટ સીસ્ટમ ઇન્સ્ટોલ કરવાની રહેશે

આપનો વિશ્વાસુ

P. N. Shah

ડાયરેક્ટર

ઇન્ડસ્ટ્રીયલ સેફ્ટી એન્ડ હેલ્થ
ગુજરાત રાજ્ય અમદાવાદ

ક્રમાંક/ડીઆઈએસએચ/એફ-નકશા/ ૨૦૨૧ / ૧૦૯
ડાયરેક્ટર ઇન્ડસ્ટ્રીયલ સેફ્ટી એન્ડ હેલ્થની કચેરી
શ્રમ ભવન ત્રીજો માળ ગન હાઉસની બાજુમાં
રૂસ્તમકામા માર્ગ ખાનપુર અમદાવાદ-૦૧
તા ૨૮/૪/ ૨૦૨૧

નકલ રવાના:-

આસી/ડેપ્યુટી ડાયરેક્ટરશ્રી, ઇન્ડસ્ટ્રીયલ સેફ્ટી એન્ડ હેલ્થ, VADODARA ને મંજૂર થયેલ નકશાની નકલ દસ્તાવેજ સહિત જે તા:- 19/03/2021 ના પત્ર ક્રમાંક 1129 થી મોકલેલ તે આ સાથે દસ્તાવેજ સહિત પરત કરેલ છે.

S. J.

ડાયરેક્ટર

ઇન્ડસ્ટ્રીયલ સેફ્ટી એન્ડ હેલ્થ
ગુજરાત રાજ્ય અમદાવાદ