* 4	: ` inga	4			•	,			•	;		•		• 4	14. T.	;			
				Н	azard Íden	tificatio	n, Risk Asse	ssment An	i Risk Co	ntrol Re	jster (HIRA)	- T	Į.			- -	Page No.	
Activity	Sub-Activities	E	R/NR	Hazard	Risk	Legal	Probability	Consequ	Resulta	Risk	Sig. Hira	Priorit	Objecti ve No.		,		_	Additional Controls	
			-					ence	nt ·	level	No.	y No.		E S EC W				perational Control OCP No	. MP No
Fettling					7	-									3	EC		OCF NO	MF NO
Filing	Collect the castings after heat treatment by manual moving trolley.		R	Sprain due to manual handling of the trolley.	Sprain		2	2	4	M	-			-1.	1	-			9
e de la companya de l			R	Fall of material on the level	Incident		2	2	4	M		1		,		-			
	Fixing the casting inside the bench vice		R	Sharp edges that may contact with skin	Cut injury		2	2	4	. M									
	Removal of the un wanted material with the help of file and chisel		R	Sliding of hand between stationary and movable part.	Cut injury	- y	2	2	4	М	3 - 1					(m)	la j.		
<u> </u>			R	Fall of casting from height	Foot injury		2	. 1	2	L				-				-	
			R	Slipping of tool	Injury	n 218	2	1	2	L								a ¹ 1 ·	
-	After completion of filing Keep the casting in the designated bin.	100	R	Fall of casting	Foot Injury	\$\$.	2	1	2	L			•				- ta		
	Collect the chips.	-	R	Chips may contact with skin	Cut injury		2	2	4	М		. ,				-		1 1	
	and the state of t	,5%)	R	Burr may inhale	Respirator y inhalation	1.0	2	1	2	L		ī				-			`, `
	Disposal of chips		R																lla
Gate cutting(Band saw)			, . ,				1.5												

For SHUBH DEV INDUSTRIES

Proprietor

										`			_	-	_			
	Receive the castings from the GDC department by fork lift.	R	Fall of casting	Foot Injury		2	1	2	L								•	·
		R	Site tranasport	Incident		2	2	. 4 .	М	7								
	Keep the casting on table.	R [*]	Manual handling of the casting	Sprain		2		2	L			•			L			
		R	Sharp edges that may contact with skin	Cut injury		2	2	4	м									
	Switch on the machine	R	Exposure to electrical energy	Electric shock		2	1,	2	L			,	9				· · · · · ·	
	(A)Push the casting against the vertical moving blade.	R	Sharp edges that may contact with skin	Cut injury		2	2	4	м			Ÿ.					, -	=1:
		R	Slipping of the casting	Cut injury	3, 1/2 m	2	2	4	м								- F-3	
		R	Sliding of hand between stationary and movable part.	Cut injury		2	2	4	М									
		R	Hot casting may contact with skin	Burn		1	1	1	L									
	After completion of gate cutting remove the casting, runner and risers and deposit in the respect bin.	R	Sharp edges that may contact with skin	Cut injury	3	2	2	4	м									
Fettling									,	35.0	ţ			, 1				
Filing	Collect the castings from band saw	R	Fall of casting	Incident		2 .	1	2	L									
-	Fixing the casting inside the bench vice	R	Sharp edges that may contact with skin	Cut injury	,	2	2	4	М									
	Removal of the un wanted material with the help of file	R	Sliding of hand between stationary and movable part.	Cut injury	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2	2	4	м			the special section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a second section in the second section in the second section is a section in the second section in the second section is a section section in the section in the section is a section section in the section in the section is a section section in the section in the section is a section section in the section in the section is a section in the section in the section in the section in the section is a section in the sectio				*		
		R	Fall of casting from height	Foot injury		. 2	1	2	L	•	_							

For SHUBH DEV INDUSTRIES

Proprietor

			·		<u> </u>				<u> </u>		_			ГП		- 1		
	Keep the casting in the designated bin.	R	Manual handling of the casting	Sprain		2	1	2	L	; ,		7,			_	\perp		t like
	Collect the burr.	R	Burr may contact with skin	Cut injury		2	1	2	L _.		3. 1							
Av.		R	Burr may inhale	Respirator y inhalation		2	1	2	L						-		٠ . ٤	
Orinding		R				, · .~, .	1,00		¥	4								
Belt grinder	Collect the castings from filing	R	Fall of casting	Incident -		2	1	2	L							•	. , .	
Ul Ju	Switch on the belt grinder.	R	Exposure to electricity	Electric shock	-	2	1	2	L						2			200
.00	Hold the casting against the abrasive wheel.	R	Sliding of hand between stationary and movable part.	Cut injury		2	2	4	М				,					,
		R	Burr may contact with eye	Eye injury		2	, 1 Š	2	L	i.					à ,			:
		R	Burr may ingest through mouth	Respirator y inhalation	44 7	2	. 1	2	L							dy.		,
ex ***		R	Al dust may inhale	Respirator y inhalation		2	. 1	2 .	Ĺ									(laginarian
1	Keep the casting in the designated bin.	R	Manual handling of the casting	Sprain	-	2	1	2	 	De la cara								
		, R	Hot casting may contact with skin	Burji		2	10	2.	0 - 0				* 62		dr.			
Ţ.	Collect the burr,	R	Burr may contact with skin	Cut injury		2	1	2	L									
1		R	Burr may inhale	Respirator y inhalation		3	1.	3	М						,			
neumatic grinder		R								·								
	Collect the castings for grinding	R	Fall of casting	Incident	, ,	2	· lu	. 2	· L					100				
	By the application of pneumatic grinder remove the un wanted material.	R	Al dust may inhale	Respirator y inhalation		2	1	2	L						<u>.</u>	3		

Tor SHUBH DEV INDUSTRIES

Proprietor

		3	VERY LIKELY	first aid Injury leading to temporar	Illne: chroni havin	alisation for ss due to c exposure g last long iffect.	1	1/L	2/L	3/M				Engli	· - <u>-</u> -		ntrol ige/Admin Controls	MP
		2	LIKELY	Injury calling for	Illness exp	due to acute osure or	nsequence	2/L	4/M	ВАН		(
		Rating 1	POO UNLIKELY	Injury not calling for	illness having momentary discomfort		3	3/JM	MATRIX 6/H	Die			E	Elimination		on	, .	MP
						79/40 CE ()		,					Abb			Des	cription	Input For
	NR	Non- routine	C	Conseque	ences		+	м	 Medium	- 7	E			Emen	gency	,		
5.6	R	Routine	Р	Probability			RISK LEVE	L	Low		н			High			-	
		R	Burt may inhale	Respirator y inhalation		2	1	2	.: L				12	\prod		_		
	Collect the burt.	R	Burr may contact with skin	Cut injury	in Man	2	1	2	Ľ	ingsin.	3	8.				- 1	Description of the	
	Keep the casting in the designated bin.	R	Manual handling of the casting	Sprain		2	1	2 .	L									
-12		R	Burt may fall in the eye	Eye injur	у	2	.1	2	L								•	
		R	Stipping of tool	Cut injur	У	2	2	. 4	М			1					a	

For SHUBH DEV INDUSTRIES