

MATERIAL REQUEST / ISSUE NOTE

Form No. STO-F-002 Rev. 02

For more no.	Request by: (Name, Dept., Sign.)	05)	04)	03)	0 2)	01)	SI. No.	rioject Name:	Project Code:	Material	Bangalo
of items, write backs	t., Sign.) Down	Goggle	Ear plug	AHS	HKG	AHG	Part Number	alle:	ode: Mo19-163	uest for:	Bangalore-560058
For more no. of items, write backside or use mare forms.	Issued by: (Name & Sign.)	Cozale	Eour plus	Assembly Hand ste	Hand Kentor Gloves	Assembly Hand adbury	Part Name Qty. Requested	PR No. (Dugunouble).	BOM code:	Projects Tools	
1 0310122	(n.)	0 (Naj.	02 sed	sleevy 02 pains	S 01 point	I 02 pains NIP	Returnable / Non Returnable (R / NR)	Issued Date:	Request Date: 03/10/22	Consumables	No. 1374



PPE POLICY

DiFACTO Robotics and Automation is committed to provide safe work environment to its employees, contractors, visitors and customers. To achieve this aim, as one of the main infrastructure towards safety of people, Personal Protective Equipment (PPE) is provided based on the safety requirements for that specific job.

This policy aims to:

- 1. bring in safety awareness as well as using the required PPE without fail.
- 2. define the PPE needed in the company
- 3. maintain the PPE in good condition
- 4. define responsibility for adherence by people regarding PPE

Dated: 1 - Sep- 2022

Ajay Gopalswamy CEO

	Standard Operating Procedure			
FACTO	TITLE: PPE PROCEDURE	Ē		
ROBOTICS AND AUTOMATION	Document No.	SOP No.	SHE – SOP 03	
	QMS-D-003	Revision No.	00	
	Issue No./Date	Revision Date	24/Sept/2022	
	01 / 20-01-2018	Page No.	1 of 9	

1. PURPOSE:

The purpose of this Standard is to describe the requirements of Personal Protective Equipment (PPE) for the on-site operations. PPEs are intended to be worn or held by a person at work which protects them against one or more risks to their health and safety.

2. SCOPE:

This Standard is mandatory and applies to DiFacto operations and managed sites including its contractors

3. **RESPONSIBILITY**:

All the employees of the company, its contractors and visitors.

4. PROCEDURE:

- Tools and Equipment used for personal protection Safety requires proper planning of work, proper usage of safety tools, exercise of good judgment and intelligent supervision. Experience proves that majority of the accidents are preventable. Working unsafely such as throwing materials or tools, at another worker should be prohibited. The following are the minimum requirements of safety devices and special tools:
- Safety Helmets
- & Gloves
- Safety Belts
- Well supported Ladders
- Hand Tools kit
- First aid box containing Dettol, bandage, burnol, cotton, painkiller pills.

Different Levels of Protection The following are guidelines which an employer can use to begin the selection of the appropriate PPEs. The site information may suggest the use of combinations of PPE selected from the different protection levels (i.e., A, B, C, or D) as being more suitable to the hazards of the work. PPE is divided into four categories based on the degree of protection afforded:

	Checked by	Approved by
Signature	R	NRM
Date	24/Sept /22	24/sept /22

	Standard Operating Procedure			
FACTO	TITLE: PPE PROCEDURE			
ROBOTICS AND AUTOMATION	Document No.	SOP No.	SHE – SOP 03	
	QMS-D-003	Revision No.	00	
	Issue No./Date	Revision Date	24/Sept/2022	
	01 / 20-01-2018	Page No.	2 of 9	

- 1. Level A Level 'A' PPEs are selected when the greatest level of skin, respiratory, and eye protection is required.
 - ♣ Positive pressure, full face-piece self-contained breathing apparatus (SCBA), or positive pressure supplied air respirator with escape SCBA, approved by the National Institute for Occupational Safety and Health (NIOSH).
 - * Totally-encapsulating chemical-protective suit.
 - A Coveralls.
 - Long underwear
 - Gloves, outer, chemical-resistant.
 - Gloves, inner, chemical-resistant.
 - A Boots, chemical-resistant, steel toe and shank.
 - Hard hat (under suit)
 - ♣ Disposable protective suit, gloves and boots (depending on suit construction, may be worn over totally-encapsulating suit)
- 2. Level B Level B PPE are used when highest level of respiratory protection is necessary but a lesser level of skin protection is needed.
 - ♣ Positive pressure, full-face piece self-contained breathing apparatus (SCBA), or positive pressure supplied air respirator with escape SCBA (NIOSH approved).
 - ♣ Hooded chemical-resistant clothing (overalls and long-sleeved jacket; coveralls; one or two piece chemical-splash suit; disposable chemical-resistant overalls).
 - A Coveralls.
 - Gloves, outer, chemical-resistant.
 - Gloves, inner, chemical-resistant.
 - Boots, outer, chemical-resistant steel toe and shank.
 - Boot-covers, outer, chemical-resistant (disposable).
 - A Hard hat.
 - Face shield

	Checked by	Approved by
Signature	af	NRLA
Date	24/80p1/22	24/kgt/22

TITLE: PPE PROCEDURE Document No. SOP No. SHE – SOP 03 QMS-D-003 Revision No. 00 Issue No./Date Revision Date 24/Sept/2022 01/20-01-2018 Page No. 3 of 9

- 3. Level C The concentration(s) and type(s) of airborne substance(s) is known and the criteria for using air purifying respirators are met
 - Full-face or half-mask, air purifying respirators (NIOSH approved).
 - ♣ Hooded chemical-resistant clothing (overalls; two-piece chemical-splash suit; disposable chemical-resistant overalls).
 - A Coveralls.
 - ♣ Gloves, outer, chemical-resistant.
 - * Gloves, inner, chemical-resistant.
 - Boots (outer), chemical-resistant steel toe and shank.
 - Boot-covers, outer, chemical-resistant (disposable).
 - A Hard hat.
 - * Escape mask.
 - Face shield.
- 4. Level D A work uniform affording minimal protection: used for nuisance contamination only
 - A Coveralls.
 - Gloves.
 - Boots/shoes, chemical-resistant steel toe and shank.
 - Boots, outer, chemical-resistant (disposable).
 - Safety glasses or chemical splash goggles.
 - ♣ Hard hat.
 - Escape mask.
 - * Face shield.

Types of PPE Personal protective equipment are available for different purposes and to protect various functions of the human body. It is essential to pick the appropriate PPE for the hazard type. The following PPE have been suggested keeping DiFacto's operations in mind.

Hearing protection There are three main types of hearing protection: CONTROLLED COPY

- earmuffs/defenders, which completely cover the ear
- earplugs, which are inserted into the ear canal Semi-inserts (also called canal-caps), which cover the entrance to the ear canal. Hearing protection must be worn by anyone who is likely to be exposed to noise at or above the Exposure Action Level set.

	Checked by	Approved by
Signature	Ry .	NRh
Date	20/8ept/22	24/Sept/22

TITLE: PPE PROCEDURE Document No. SOP No. SHE – SOP 03 QMS-D-003 Revision No. 00 Issue No./Date Revision Date 24/Sept/2022 01 / 20-01-2018 Page No. 4 of 9

Head protection There are three widely used types of head protection:

- industrial safety helmets (hard hats), which are designed to protect against materials falling from height and swinging objects
- industrial scalp protectors (bump caps), which are designed to protect from knocking against stationary objects
- caps/hair nets, which protect against entanglement

Tasks where head protection may be required include:

- construction
- building repair
- work in excavations and tunnels
- work with bolt driving tools
- driving motorcycles and all-terrain vehicles, etc.

Eye protection There are several types of eye protection:

- safety spectacles: these are similar to regular glasses but have a tougher lens. They can include side shields for additional protection.
- eye shields: a frame-less one piece moulded lens, often worn over normal prescription glasses
- safety goggles: these are made with flexible plastic frames and an elastic headband
- face shields: heavier and bulkier than other type of eye protector, face shields protect the face, but do not fully enclose the eyes so do not protect against dusts, mists or gases.

Tasks where eye protection may be required include:

- handling hazardous substances where there is a risk of splashing
- work with power driven tools where materials are likely to be propelled
- welding operations
- work with lasers
- using any gas or vapour under pressure.

	Checked by	Approved by
Signature	Eng	NRMS
Date	24/Sept/2	24/sept/22

	Standard Operating Procedure			
FACTO	TITLE: PPE PROCEDURE			
ROBOTICS AND AUTOMATION	Document No.	SOP No.	SHE – SOP 03	
	QMS-D-003	Revision No.	00	
	Issue No./Date	Revision Date	24/Sept/2022	
	01 / 20-01-2018	Page No.	5 of 9	

Foot protection There are a number of types of safety footwear:

- safety boots or shoes. Normally have steel toe-caps but can have other safety features (e.g. steel mid-soles, slip resistant soles, insulation against heat and cold)
- Wellington boots, which can be supplied with steel toe-caps
- anti-static and conductive footwear. These protect against the build-up of static electricity.

Tasks where foot protection may be required include: construction, demolition, building repair, manual handling where there is a risk of heavy objects falling on the feet, work in extremely hot or cold environments, work with chemicals and forestry. If there is a risk of slipping that cannot be avoided or controlled by other measures, attention must be given to the slip resistance of soles and replacement before the tread pattern is overly worn.

Hand and arm protection Hand and arm protection comes in a variety of forms, including:

- gloves and gauntlets (leather, nitrile, latex, plastic coated, chain mail, etc.)
- wrist cuffs and armlets, e.g. used in glass cutting and handling
- barrier cream may sometimes be used, where gloves cannot practicably be used.

Tasks where hand and arm protection may be required include: the manual handling of abrasive, sharp or pointed objects, work with vibrating equipment such as pneumatic drills and chainsaws, construction and outdoor work, work with chemicals and other hazardous substances (e.g. bodily fluids) and work with hot or cold materials.

Body protection Types of body protection include:

- overalls, aprons and coveralls (protection against hazardous substances)
- clothing for cold, heat and bad weather
- high visibility clothing (e.g. jackets, vests)
- harnesses back supports
- life jackets.

CONTROLLED COPY

Tasks where body protection may be required include: work with hazardous substances, work next to the highway or other areas with moving transport or vehicles, outdoor work, forestry and grounds maintenance work.

	Checked by	Approved by
Signature	Rec	NLL
Date	24/sept/2	24/sept/22

	Standard Operating Procedure			
LIFACTO	TITLE: PPE PROCEDURE	•		
ROBOTICS AND AUTOMATION	Document No.	SOP No.	SHE – SOP 03	
	QMS-D-003	Revision No.	00	
	Issue No./Date	Revision Date	24/Sept/2022	
	01 / 20-01-2018	Page No.	6 of 9	

Respiratory protection There are two main types of respiratory protective equipment:

- respirators that filter contaminated air or clean it as it is breathed in
- respirators that supply clean air from an independent source. Work with harmful dusts, fumes, vapours can require respiratory protective equipment.

Tasks where respiratory protection may be required include; work with harmful substances, work in areas where large amounts of nuisance dust is present, work that creates dust (e.g. disc cutters)

Suitability of PPE To be able to choose the right type of PPE, the hazards involved in the task or work environment shall be carefully considered by DiFacto. PPE must also meet the needs of the individual. The following factors should be considered when assessing the suitability of PPE:

- Is the PPE appropriate for the risk involved and conditions at the place where exposure may occur? e.g. goggles are not suitable when full-face protection is required
- Does the PPE prevent or adequately control the risks involved without increasing the overall risk? e.g. gloves should not be worn when using a pillar drill, due to the increased risk of entanglement
- Can the PPE be adjusted to fit the wearer correctly? e.g. if a person wears glasses, ear defenders may not provide a proper seal to protect against noise hazards
- Has the state of health of those using it been taken into account?
- What are the needs of the job and the demands it places on the wearer? How long will the PPE need to be worn? What are the requirements for visibility and communication?
- If more than one item of PPE is being worn, are they compatible? For example, does a particular type of respirator make it difficult for eye protection to fit properly?

Information, instruction and training on PPE use Where PPE is provided, employees must be provided with adequate information, instruction and/or training on its use. The extent of information, instruction and/or training will vary with the complexity and performance of the kit. Information and instruction should cover: CONTROLLED COPY

- the risk(s) present and why the PPE is needed
- the operation (including demonstration), performance and limitations of the equipment
- use and storage (including how to put it on, how to adjust and remove it)

	Checked by	Approved by
Signature		NRL
Date	24/8-1/2	24/sept /22

- any testing requirements before use
- any user maintenance that can be carried out (e.g. hygiene/cleaning procedures)
- factors that can affect the performance of the equipment (e.g. working conditions, personal factors, defects and damage)
- how to recognise defects in PPE, and arrangements for reporting them
- where to obtain replacement PPE, In addition to initial training, refresher training may be required from time to time. Supervisor checks on the use of PPE may help determine when refresher training is required.

Maintenance of PPE An effective system of maintenance of PPE is essential to make sure the equipment continues to provide the degree of protection for which it is designed. Therefore, the manufacturer's maintenance schedule (including recommended replacement periods and shelf lives) must always be followed. Maintenance may include; cleaning, examination, replacement, repair and testing. The wearer may be able carry out simple maintenance (e.g. cleaning), but more intricate repairs must only be carried out by competent personnel. The costs associated with the maintenance of PPE are the responsibility of the DiFacto/ contractor.

Storage for PPE It is very important to appropriately store PPE to ensure they can be used for a long time

- ♣ Where PPE is provided, adequate storage facilities for PPE must be provided for when it is not in use, unless the employee may take PPE away from the workplace (e.g. footwear or clothing).
- Accommodation may be simple (e.g. pegs for safety helmets) and it need not be fixed (e.g. a case for safety glasses or a container in a vehicle).
- ♣ Storage should be adequate to protect the PPE from contamination, loss, damage, damp or sunlight.

Responsibility of implementing the procedure on PPE While the responsibility of implementing the procedure lies on all DiFacto personnel, employees of the vendor, contractor and their supply chain actors, specific responsibilities have been allotted, keeping the significance of the standard in mind.

	Checked by	Approved by
Signature	Def .	NLL
Date	24/sept/22	24/Sept/22

ROBOTICS AND AUTOMATION	Standard Operating Procedure		
	TITLE: PPE PROCEDURE		
	Document No.	SOP No.	SHE – SOP 03
	QMS-D-003	Revision No.	00
	Issue No./Date	Revision Date	24/Sept/2022
	01 / 20-01-2018	Page No.	8 of 9

EHSS department Apart from the responsibility of implementing the entire EHSS manual and SOPs, the SHE department has the following specific responsibilities for this SOP

- * Must ensure that appropriate PPEs are used for different types of work carried on the sites.
- * Should be aware of the hazards related to the work and same is conveyed to the contractors.
- ♣ Shall conduct surprise site inspections to assure the compliance with the appropriate use of PPEs.
- Has the ultimate responsibility for action tracking and close-out;

EHS Officer of Contractor Apart from the responsibility of implementing the entire EHSS manual and SOPs, the EHSS officer of the vendor/contractor/sub-contractor has the following specific responsibilities for this SOP

- ♣ EHS officer must ensure that appropriate PPEs are used for different types of work carried on the sites.
- ♣ EHS officer should be aware of the hazards related to the work and same is conveyed to the workers.
- ♣ Awareness shall be created among the workers and the contractors via daily tool box meetings.
- Must ensure that PPEs used by workers are in good condition and expiry date is not passed.
- In case of non-compliance, report should be made to SHE officer of DiFacto.
- Conduct regular checks twice a day to ensure compliance with the appropriate use of PPEs

Workers All workers have a duty to:

- Follow instructions from EHS officer of contractor/ DiFacto.
- ♣ In case of any problem related to their PPE, workers should immediately inform to the EHS officer of contractor.
- Follow trainings and instructions (unless they think that would be unsafe, in which case they should seek further instructions before continuing)

	Checked by	Approved by
Signature	Ry	N Robert
Date	24/8001/22	24/sept/22

FACTO ROBOTICS AND AUTOMATION	Standard Operating Procedure			
	TITLE: PPE PROCEDURE			
	Document No.	SOP No.	SHE – SOP 03	
	QMS-D-003	Revision No.	00	
	Issue No./Date	Revision Date	24/Sept/2022	
	01 / 20-01-2018	Page No.	9 of 9	

Duties of workers regarding PPE The workers shall ensure that PPE provided is properly used.

- ♣ PPE must be worn and used in accordance with the instructions provided to them
- * workers must take all reasonable steps to ensure that PPE is returned to the accommodation provided for it after it has been used (unless the employee may take PPE away from the workplace e.g. footwear or clothing)
- * PPE must be examined before use
- * any loss or obvious defect must be immediately reported to their supervisor
- employees must take reasonable care for any PPE provided to them and not carry out any maintenance unless trained and authorized.

Compliance and performance with respect to this standard Each DiFacto operation shall ensure that it complies with the requirements of this Standard. Performance against the requirements of this Standard shall be assessed periodically, documented and, where required, reported to DiFacto. The evaluation of performance shall include, as a minimum, confirmation that:

- Correct usage of PPE for different types of work carried on the sites.
- ♣ EHS manager is aware of the hazards related to the work and same is conveyed to the contractors.
- ♣ The SHE manager has the ultimate responsibility for action tracking and close-out; Awareness shall be created among the workers and the contractors via daily tool box meetings.

	Checked by	Approved by
Signature	Se -	NRIL
Date	24/Sept /2	24/ppt/22

