

EHS POLICY

This Is The Environment Health and Safety Policy Of Laxmi Enterprises company

Our main commitment is

- To the provide adequate control of the health and safety risks arising from our activities
- To consult with personal on matters affecting their health and safety ,
- To provide and maintain safe plant and equipment
- To the ensure safe handling and use of substances,
- To provide information ,instruction and supervision for employees,
- To ensure all employees are component to do their tasks , and to give them adequate training
- To prevent accident and cases of works –related ill health
- To maintain safe and healthy working conditions,
- Establish and implement management systems according to ISO 9001:2015 and other

Recognized standards and seek continuous improvement in our EHS performance through

The use of initiatives, controls and training of our personnel,

- Comply with applicable environmental, health ,safety and legal requirements and remain a Responsible corporate member of society,
- To review and and revise thish policy as necessary at regular intervals

For Laxmi Industries


Partner



फेटलिंग व शॉट ब्लॉस्टिंग करतांना सुरक्षीतते साठी घ्यावयाची काळजी

- फेटलिंग करतांना कृपया सेफटी गॉगल, सेफ्ट नोजमास्कचा, सेफ्ट हॅडग्लोजचा, सेफटी बुटाचा वापर करा
- रिकाम्या गनी बॅगची व्यवस्थित घडी करून ठेवाव्यात, त्याच बॅगचा वापर मटेरिअल पॅक करण्यासाठी पुन्हा करावा
- फेटलिंगची बर प्रत्येक शिफ्ट संपल्यानंतर झाडुन एकत्र गोळा करून वरच्या पॅलेटमध्ये जमा करावी
- मशिनचा वापर नसतांना कृपया मशिनचा इलेक्ट्रीक सप्लाय बंद करावा
- कॉम्प्रेस एअरचा वापर नसतांना कृपया कॉम्प्रेसर बंद करा
- प्रत्येक शिफ्ट मध्ये डस्ट एक्सट्रॅक्टर चालु आहे याची खात्री करा
- शॉट ब्लॉस्टिंगचे शॉटस् (स्टिल बॉल्स) शॉपफ्लोरवर पडल्याने धसरून अपघात होऊ भाकतो म्हणुन, शॉपफ्लोर प्रत्येक दोन तासात साफ करणे ज्यानेकरून धसरून अपघात होणार नाहित

तयार करणारे



प्रमाणित करणारे



शाँट ब्लास्टिंग संबंधित सूचना

- १} कामाच्या हँगर वर ठराविक पद्धतीने कास्टिंग लावून दरवाजा बंद करणे .
- २} शाँट ब्लास्टिंग साठी टायमर सेट करून मशीन चालू करणे .
- ३} दरम्यान हँगर वर ठराविक पद्धतीने कास्टिंग लावणे.
- ४} शाँट ब्लास्टिंग झाल्यावर अलार्म होईल ,तेव्हा मशीन बंद करून दार उघडणे व कास्टिंग बाहेर काढून अधोरेखित जागेवर ठेवणे .
- ५} दुसरे कामाचे हँगर बंद करणे व मशीन चालू करणे व याच पद्धतीने वापर करणे.

For Laxmi Industries



Partner