

#### Maharashtra Pollution Control Board 6205efa557369e0c23d5157c

#### MAHARASHTRA POLLUTION CONTROL BOARD

0240-2473461/62/63

0240-2473462

MAHARASHTRA

Sub-Regional Office:

No.A-4/1,MIDC Plot Paryavaran Bhavan, Chikalthana, Behind Dainik Lokpatra, Near Seth Nandlal Dhoot Hospital Jalna Road, Aurangabad-

Email

sroaurangabad@mpcb.gov.in "Your Service is our Duty"

Green/SSI

Date: 10/02/2022

SRO-AURANGABAD/Consent/ 2202000648

Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization / Renewal of Authorization under Rule 5 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016

[To be referred as Water Act, Air Act and HW (M&H) Rules respectively].

CONSENT is hereby granted to

M/s. S. A. Lubricants. Gut No. 54, Plot No. 456 & 483, Shajapur, Tal. & Dist:- Aurangabad.

located in the area declared under the provisions of the Water Act, Air act and Authorization under the provisions of HW(M&H) Rules and amendments thereto subject to the provisions of the Act and the Rules and the Orders that may be made further and subject to the following terms and conditions:

The Consent to Operate is granted for a period up to: 31-10-2027 1.

The Consent is valid for the manufacture of -

Maximum Quantity **Product Name** Sr. No. Bailing of Non Hazardous Scrap of M. S. Scrap, SS Scrap, Aluminum Scrap, Metal 500 MT/M Scrap, Plastic Scrap, Polythene Scrap, Corrugated Boxes, PU Foams, Manufacturing of Wooden Boxes by using Wooden/Card Board Scrap as raw material

(Without Management and Handling of Hazardous Waste, E-waste as specified under H. W. (M, H & TM) Rules, 2008. Without any metal surface treatment such as Electroplating, Coating, Painting, Pickling, Heat Treatment, Foundry activities, Drum cleaning, drum washing & any chemical process activity)

#### 3. CONDITIONS UNDER WATER ACT:

(i) The daily quantity of trade effluent from the factory shall be NIL

(ii) The daily quantity of sewage effluent from the factory shall not exceed  $0.8\ M^3$ 

(iii) Trade Effluent:

Treatment: The applicant shall provide comprehensive treatment system consisting of primary / secondary and/or tertiary treatment as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of the treated effluent to the following standards:

MPCB-CONSENT-0000122146

Page 1 of 4



# Maharashtra Pollution Control Board 6205efa557369e0c23d5157c

(iv) Trade Effluent Disposal:		
(v) Sewage Effluent Treatment: The applicant shall provide comprehensive treatment system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.  (i) Suspended Solids Not to exceed 100 mg/l.  (2) BOD 3 days 27o C. Not to exceed 100 mg/l.  (vi) Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.  (vii) Non-Hazardous Solid Wastes:  Sr. No. Type Of Waste Quantity IV OM Treatment Disposal Nil Nil  (viii) Other Conditions: Industry should monitor effluent quality regularly.  4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under:  (i) Domestic 1.0 CMD  (ii) Industrial Processing 0.00 CMD  (iii) Industrial Cooling 0.00 CMD  (iv) Cooling / Gardening 0.00 CMD  (iv) Cooling / Bardening 0.00 CMD  (iv) Cooling / Bardening 0.00 CMD  (iv) Cooling / Bardening 0.00 CMD  (iv) Cooling / Gardening .	(iv) Tr	rade Effluent Disposal:
system as is warranted with reterence to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following standards.  (1) Suspended Solids Not to exceed 100 mg/l.  (2) BOD 3 days 27o C. Not to exceed 100 mg/l.  (vi) Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.  (vii) Non-Hazardous Solid Wastes:  Sr. No. Type Of Waste Quantity UOM Treatment Disposal Nil Nil		
(1) Suspended Solids (2) BOD 3 days 270 C. Not to exceed (2) BOD 3 days 270 C. Not to exceed (3) BOD 3 days 270 C. Not to exceed (4) Not to exceed (5) BOD 3 days 270 C. Not to exceed (6) BOD 3 days 270 C. Not to exceed (7) Sewage Effluent Disposal: The treated domestic effluent shall be soaked in a soak pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.  (vii) Non-Hazardous Solid Wastes:  Sr. No. Type Of Waste  Nil Nil (viii) Other Conditions: Industry should monitor effluent quality regularly.  4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under  The daily water consumption for the following categories is as under: (i) Domestic (ii) Industrial Processing (iii)	(v)-	system as is warranted with reference to influent quality and operate and maintain the same continuously so as to achieve the quality of treated effluent to the following
pit, which shall be got cleaned periodically. Overflow, if any, shall be used on land for gardening / plantation only.  (vii) Non-Hazardous Solid Wastes:  Sr. No. Type Of Waste		POD 9 dans 97- C
(vii) Non-Hazardous Solid Wastes:    Sr. No.   Type Of Waste   Nil   Nil	prt,	which shall be got cleaned periodically. Overflow, if any shall be used on land
(viii) Other Conditions: Industry should monitor effluent quality regularly.  4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under  The daily water consumption for the following categories is as under:  (i) Domestic 1.0 CMD  (ii) Industrial Processing 0.00 CMD  (iii) Industrial Processing 0.00 CMD  (iii) Industrial Cooling 0.00 CMD  (iii) Industrial Cooling 0.00 CMD  The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT:  (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed		
(viii) Other Conditions: Industry should monitor effluent quality regularly.  4. The applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment Rules, 2003 there under  The daily water consumption for the following categories is as under:  (i) Domestic  (ii) Industrial Processing  (iii) Industrial Cooling  (iv) Cooling / Gardening  (v) Cooling / Gardeni	Sr. No.	Treatment Disposal
Rules, 2003 there under  The daily water consumption for the following categories is as under:  (i) Domestic 1.0 CMD  (ii) Industrial Processing 0.00 CMD  (iii) Industrial Processing 0.00 CMD  (iii) Industrial Cooling 0.00 CMD  (iv) Cooling / Gardening 0.00 CMD  The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT:  (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Nil  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	(vii	AVII
Rules, 2003 there under  The daily water consumption for the following categories is as under:  (i) Domestic 1.0 CMD  (ii) Industrial Processing 0.00 CMD  (iii) Industrial Processing 0.00 CMD  (iii) Industrial Cooling 0.00 CMD  (iv) Cooling / Gardening 0.00 CMD  The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT:  (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Nil  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	4. The	applicant shall comply with the provisions of the Water (Provention &
The daily water consumption for the following categories is as under:  (i) Domestic 1.0 CMD  (ii) Industrial Processing 0.00 CMD  (iii) Industrial Cooling 0.00 CMD  (iv) Cooling / Gardening 0.00 CMD  The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT:  (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil Quantity  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	Contr	ol of Pollution) Cess Act, 1977 (to be referred as Cess Act) and amendment
(ii) Industrial Processing 0.00 CMD (iii) Industrial Cooling 0.00 CMD (iv) Cooling / Gardening 0.00 CMD The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act  5. CONDITIONS UNDER AIR ACT: (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³ Not to exceed 150	Rules	, 2003 there under
(ii) Industrial Processing 0.00 CMD (iii) Industrial Cooling 0.00 CMD (iv) Cooling / Gardening 0.00 CMD The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act  5. CONDITIONS UNDER AIR ACT: (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³ Not to exceed 150	T	he daily water consumption for the following categories is as under:
(iii) Industrial Cooling (iv) Cooling / Gardening The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT: (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPMTPM Not to exceed 150 mg/Nm³ Not to exceed	" (1	) Domestic 1.0 CMD
(iii) Industrial Cooling (iv) Cooling / Gardening  The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT: (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:   Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.		i) Industrial Processing 0.00 CMD
(iv) Cooling / Gardening The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT: (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants: (i) SPM/TPM Not to exceed 150 mg/Nm³ Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.		ii) Industrial Cooling 0.00 CMD
The applicant shall regularly submit to the Board the returns of water consumption in the prescribed form and pay the Cess as specified under Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT:  (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.		v) Cooling / Gardening 0.00 CMD
Section 3 of the said Act.  5. CONDITIONS UNDER AIR ACT:  (i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed - Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	Th	ne applicant shall regularly submit to the Board the returns of water
(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	co	onsumption in the prescribed form and pay the Cess as specified under
(i) The applicant shall install a comprehensive control system consisting of control equipments as is warranted with reference to generation of emission and operate and maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	5 COND	ITIONS LINDED ALD ACT
maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	(i) The	pulicant chall intell
maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	(i) The a	pplicant shall install a comprehensive control system consisting of control
maintain the same continuously so as to achieve the level of pollutants to the following standards:  (a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil Quantity  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	eduibmei	its as is warranted with reference to generation of emission and operate and
(a) Control Equipment: Air pollution control equipments of adequate capacity shall be provided at all sources to limit the emissions.  (b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil Quantity  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	maintain	the same continuously so as to achieve the level of pollutants to the
(b) Standards for Emissions of Air Pollutants:  (i) SPM/TPM Not to exceed 150 mg/Nm³  (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	following	standards:
(c) SPM/TPM Not to exceed 150 mg/Nm³ (ii) SO2 Not to exceed Kg/Day.  (c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil Quantity  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.		d at all sources to limit the emissions.
(c) The applicant shall observe the following fuel pattern:  Sr.No. Type of Fuel Quantity  Nil Quantity  (d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	(b)	Continue.
(d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	10	The contract of the contract o
(d) The applicant shall erect the chimney(s) of the following specifications:  Sr.No. Chimney attached to Height in Mtrs.  (e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	(c)	Sr.No. Type of Fuel Quantity
(e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.		
(e) Other Conditions:  1) The industry should not cause any nuisance in surrounding area.  2) The industry should monitor stack emissions and ambient air quality regularly.	(d)	Sr.No. Chimney attached to Height in Mtrs.
1) The industry should not cause any nuisance in surrounding area. 2) The industry should monitor stack emissions and ambient air quality regularly.	(e)	
2) The industry should monitor stack emissions and ambient air quality regularly.		
quality regularly.		2) The industry should monitor stack emissions and ambient air
· CE NOTE OF THE PROPERTY OF T		quality regularly
MPCB-CONSENT-0000122146		GE M.P.C
MPCB-CONSENT-0000122146		The state of the s
101.	MPCI	3-CONSENT-0000122146 Page 2 of 101
South Comments of the Comments		38.80



## Maharashtra Pollution Control Board 6205efa557369e0c23d5157c

6. CONDITIONS UNDER HAZARDOUS WASTE (MANAGEMENT, HANDLING & TRANSBOUNDRY MOVEMENT) RULES, 2008:

(i) The applicant shall handle hazardous wastes as specified below:

	(i) The applicant offair flatfair flatfair flatfair flatfair					
1	SI.	Item No. as per Sch-I	Type of Waste	Quantity	Disposal	
No any Haz waste generation						

- (ii) Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
- 7. Industry shall comply with following additional conditions:
- The applicant shall maintain good housekeeping and take adequate measures for control of pollution from all sources so as not to cause nuisance to surrounding area / inhabitants.
- ii. The applicant shall bring minimum 33% of the available open land under green coverage/ tree plantation.
- iii. Solid waste The nonhazardous solid waste arising in the factory premises, sweepings, etc., be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal to dumping ground.
- iv. The applicant shall provide for an alternate electric power source sufficient to operate all pollution control facilities installed by the applicant to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms & conditions of this consent regarding pollution levels.
- v. The applicant shall not change or alter quantity, quality, the rate of discharge, temperature or the mode of the effluent / emissions or hazardous wastes or control equipment provided for without previous written permission of the Board.
- vi. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous wastes to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- vii. The applicant shall make an application for renewal of the consent at least 60 days before the date of the expiry of the consent.
- viii. The firm shall submit to this office, the 30<sup>th</sup> day of September every year, the Environmental Statement Report for the financial year ending 31<sup>st</sup> March in the prescribed Form-V as pre the provisions of rule 14 of the Environment (Protection) (Second Amendment) Rules, 1992.
- ix. As inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
- x. The applicant shall in stall a separate electric meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- xi. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes / sewers down- stream of the terminal manholes. No effluent shall find its way other than in designed and provided collection System.

MPCB-CONSENT-0000122146

Kindly verify Maharashtra Pollution Control Board's document on Blockchain by scanning the QR code. https://blockchain.ecmpcb.in/docs/cdfcb2d31756720d17a0d675635bbb701c95486592bed800916908638e30d329



### Maharashtra Pollution Control Board 6205efa557369e0c23d5157c

- xii Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
- 8. The Industry shall comply with E-waste (management) Rules, 2016.
- 9. The Industry shall comply with Batteries (Management and Handling) Rules, 2001.
- 10. Industry shall comply the provisions of Maharashtra Plastic and Thermocol Items notification, 2018 and amendments thereto.
- 11. Industry shall comply the provisions of Plastic Waste Management Rules, 2016 and amendments thereto.
- 12. The industry shall obtain prior permission from Board for any addition, moderation, expansion & change in production & alteration etc.
- Industry shall comply the provisions of Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 and amended thereof.
- 14. Industry shall strictly carry out the production as per the activity for which you have applied application. In case during visit any variation observed the said consent will be revoked with immediate effect and Board will initiate stringent legal action against the project Proponent/Applicant.
- 15. The Board reserves the right to revoke change Or alter the terms and conditions of this consent.
- The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
- 17. The Capital investment of the industry is Rs. 25.34 Lakhs only.

For and on behalf of the Maharashtra Pollution Control Board

(P. D. Wankhede) Sub-Regional Officer, Aurangabad

To, M/s. S. A. Lubricants, Gut No. 54, Plot No. 456 & 483, Shajapur, Tal. & Dist:- Aurangabad.

Received Consent fee of -

Sr. No.	Amount (Rs.)	Transaction Number	Transaction Date	Transaction Status
1	3000/-	TXN2111001597	22-11-2021	e-payment
2	3000/-	TXN2202001382	10-02-2022	e-payment

MPCB-CONSENT-0000122146

Page 4 of 4